PRODUCT SPECIFICATION

DESCRIPTION **DATE** REV **ECN** 9/24/2019 17680 Updated print legend.


Parent Number: 18822-

Description: 2/0 19x70/30 TC XHHW-2 or SIS VW-1 or

CSA RW90 or SIS

DIAMETER: 0.538

 $TOLERANCE \pm : 0.011$



MIN AVG WALL: 0.055

MINIMUM WALL: 0.050

Stranding: 19x70/30 TC LHL

Style: UL: XHHW-2 or SIS VW-1 CSA: RW90 or SIS

Insulation: XLPE

Print Legend: 2/0 AWG (67.4mm2) E30117 (PLANT ID CODE) (UL) XHHW-2 SR PRII GRII OR SIS 90C 1000V VW-1 -- 156205 CSA RW90 90C DRY/90C WET 600V PRI -40C FT1 FT4 OR SIS 90C 600V -40C FT1 FT2 VW-1

Voltage: UL: 1,000V CSA: 600V

Temperature: 90C

Notes: 1. Separator is used between the copper conductor and insulation.

This product complies with European Directive 2015/863 -- RoHS 3.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Southwire's standard terms and conditions contained therein, including without limitation Southwire's standard warranty. Southwire disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Southwire Company, LLC. Any information contained herein shall not be disclosed to any party without written consent of Southwire Company, LLC.

Customer Approval:		
Customer Part Nbr(s):		
Approved By:	Date:	
Title:	Company Name:	

Southwire

1115 W. North Street Bremen, IN 46506 Phone: 1-574-546-5115