S OK DENSEN CONFIDENTIAL

		SHI C 3 2 0	8 K -0 0 2 (
	Heat resistant PVC insulation cable 11/0.16 3P HRV(AL)-SV(2517) OJ	Section	Electric Cable Solution Div.	
Item name		issue date	January 18 th , 2017	
N - 4 -		Approved by	Checked by	Designed by
Note		Takagi	Tsukada	Kagaya

1. Application

This specifications shall cover the heat resistance PVC insulation cable which conforms to UL2517,


Rating: 105 °C 300 V Usage temperature: -20 °C ~ 105 °C

Application: Indoor for fixed part

2 Structure

Structure				
Item		Specifications -		
	Туре	Tinned annealed copper wire		
Conductor	Stranding PCS/mm	11/0.16		
	Diameter (Nominal)	0.62 m m		
	Туре	Heat resistance PVC		
To avelakan	Color	Brown, White, Green, Yellow, Grey, Pink		
In su la to r	Thickness (Nominal)	O. 42 mm		
	Diameter (Nominal)	1 . 4 6 m m		
T w istin g	Composition	Brown ×White, Green ×Yellow, Grey×Pink		
Taping	Composition	After twisting, alumina polyester tape is		
		overlapped		
A 1. 1.	Stranding	See fugure1		
A ssem bly	Taping	After twisting, a paper is wound.		
Braided Shield	Туре	Tinned annealed copper wire		
	Туре	Heat resistant PVC		
	Color	Orange (Marking: OJ)		
O b 4b	Thickness (Nominal)	O. 9 m m		
Sheath	Diameter (Nominal)	7.5 mm		
	Marking	OKI ELECTRIC CABLE . AWM 2517 105C		
		300V VW-1		
	Standard length	1000 m		
Finish product	Packing	Drum		
Cross-section view		See figure 1		

SHI C 3 2 0 8 K - 0 0 2 6 1st Revision 2/2



3		Ca	h	ما	fa	a ti	ure
J	٠	νa	υ	16	10	αų	ure

	Item	Performance
Electric performance	Conductor resistance Ω/k m (20°C)	89 orless
	Insulator resistance MΩk m (20°C)	10 or more
	Dielectric Voltage V −min	AC 2000
UL	U L style	2517
	Flame resistance	∨ W−1
Bending radius		4 times of cable diameter

4. Environmental Measures

This product is RoHS compliant.

5. Validity

This specification is valid for one year. However, it shall be automatically renewed for an additional one year, except that either party notifies the other of its intent not to renew the contract, if such notification is submitted in writing at least three months prior to the date of automatic renewal as noted above.