1882 Pond Run Phone: 248-475-5786 Auburn Hills, MI 48326 Fax 248-475-5893 **EG | ElliottGroup**International

ETN1000E Polyvinyl Chloride (PVC) Adhesive Tape

Name ETN1000E

Type Polyvinyl Chloride (PVC) Adhesive Tape

Color Black

Backing PVC Film Backing

Adhesive Rubber

Temperature Rating 105°C Continuous

FEATURES

Good aging characteristics
Cold temperature resistance
Unaffected by moisture and most chemicals
Excellent heat resistance property with 105°C for 3000hrs
Heat resistant excursion temperature to 150°C for 6 hours
Low VOC

APPLICATIONS

Specifically designed for wire harness Electrical insulating

PROPERTIES

Total Thickness	0.10 mm
Adhesion to Backing	2.6 N/cm
Tensile Strength	16.5 N/cm
Elongation	
Unwinding Force.	2.67 N/cm
Cold Flexibility	
Flammability	
Shelf life @ 23°C	

SPECIFICATION APPROVAL

Ford ES-XU5T-1A303-AA GM 9985550
Ford ES-AC3T-1A303-AA (B10-00) Delphi Packard M2147, M2148, M4037
GMW3059 Chrysler MSDC-13-B
Toyota TSC-1152 G GMW16740
RoHS and REACH Compliant

The physical properties listed above are average values and are not to be construed as specifications. Our suggestions and recommendations for use are based on tests we believe to be reliable. However, the purchaser must determine the suitability of the product for its intended use.