



PRODUCT-DETAILS

PACH54/BL/25M

54MM PA6 CONDUIT 25M - BL



General Information	
Extended Product Type	PACH54/BL/25M
Product ID	7TCA296000R1912
EAN	5020963004070
Catalog Description	54MM PA6 CONDUIT 25M - BL
Long Description	Heavyweight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.0mm, Static Bend Radius 95mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black

Additional Information	
Application	Indoors / Outdoors - Rail, Heavy Industrial, Buildings & Machinery
Product Type	Heavyweight Conduit with Coarse Pitch

Ordering	
EAN	5020963004070
UPC	786210147567

Dimensions	
Product Net Depth / Length	25 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental	
WEEE Category	Product Not in WEEE Scope
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	9.06 in 230 mm
Package Level 1 Depth / Length	31.89 in 810 mm
Package Level 1 Width	31.89 in 810 mm

Certificates and Declarations	
Data Sheet, Technical Information	PACH54/BL/25M
Instructions and Manuals	PACH54/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

External Classifications and Standards	
ETIM 8	EC001175 - Corrugated plastic hose
ETIM 9	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

