PRODUCT SPECIFICATION

DESCRIPTION **DATE** REV **ECN** 10/17/2024 18371 UPDATE INSULATION TYPE


Parent Number: F2T024-

Description: 2/0 7x37/23 TC AWM 3340 or 3374 CL 1503

or AWM I A/B

DIAMETER: 0.648

 $TOLERANCE \pm : 0.014$



MIN AVG WALL: 0.080

MINIMUM WALL: 0.072

Stranding: 7x37/23 TC Unilay

Style: UL: AWM 3340 or 3374 CSA: CL 1503 or AWM I A/B

Insulation: XLPE

<u>Print Legend:</u> 2/0 AWG (67.43mm2) E57498 (PLANT ID CODE) (AWM LOGO) AWM 3340 OR 3374 125C(FLEX)/150C(NO-FLEX) 600V -- 156205 CSA CL1503 150C 600V OR AWM I A/B 125C 600V FT2 -- MADE IN USA

Voltage: 600V

Temperature: 125C (FLEX)/150C (NO-FLEX)

Notes: 1. Bend Radius: 5 times the diameter for non-flexing applications

This product complies with European Directive 2015/863 -- RoHS 3.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Southwire's standard terms and conditions contained therein, including without limitation Southwire's standard warranty. Southwire disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Southwire Company, LLC. Any information contained herein shall not be disclosed to any party without written consent of Southwire Company, LLC.

Customer Approval: Title:_____Company Name:____

Southwire*

Copperfield

1115 W. North Street Bremen, IN 46506 Phone: 1-574-546-5115