



<b>Technical Data Sheet:</b>	<b>DS713-4</b>
<b>Product Description</b>	<b>Fixed Straight Nylon conduit fittings</b>
<b>Product Range</b>	<b>Flexilok - Straight Nylon fittings (NPT thread)</b>

# Atkore™

## Flexicon



www.atkore.com/flexicon



**Material:**  
Nylon PA66

**Colour:**  
Black as standard

**Fire Performance:**  
Extra Low Fire Hazard  
- Halogen, Sulphur & Phosphorous Free

For full details of fire performance details of PA66 fittings see data sheet reference DS601

**IP Rating:**

IP66

**Applications:**

Suitable for knockouts or threaded entries.

**Features:**

- 1 Part
- Slim design
- UV Resistant - Black
- Fast Fit
- Suitable for fine or coarse pitch conduits
- Can be removed using a screwdriver if required
- 42mm version offer 4 teeth feature for increased pull off strength

**Temperature Performance:**

-40C to +120°C

Conduit Size	Part No.	No. of Teeth	Thread	Nominal Dimension (mm)					
			A	B	C	D	E	F	G
16	FLK16-038	2	3/8"	11.5	32	21	11.0	21	23
21	FLK21-050	2	1/2"	14	35	26	14.5	27	29
28	FLK28-075	2	3/4"	15	39	34	19.3	34	36
34	FLK34-100	2	1"	16	42	41	26.5	41	43
42	FLK42-125	4	1 1/4"	16	47	54	32.5	53	54
54	FLK54-150	4	1 1/2"	18	53	65	40	64	65
54	FLK54-200	4	2"	18	53	65	52	64	65

NB: Removal tool available for FLK42 & FLK54. Not required for 2 tooth versions.

**Compliance, Approvals & Accreditation;**

**Typical Applications;**



EN 61386 Classification Available on request



Construction



Machinery and OEM's

Errors, omissions and amendments excepted. As part of continuing product development Flexicon Ltd reserve the right to alter product specifications without prior notice. Data given is correct at time of compilation. Product specification and application data is for guidance only and does not constitute a warranty of any kind, either expressed or implied for Flexicon products or their suitability for a specific purpose. Third party approvals maybe limited to certain sizes within a product range.

Created by; <b>Colin Legg - Product Manager</b>	Approved by; <b>Richard Elsmore - Engineering Manager</b>	Date; <b>March 2025</b>	Page Number; <b>Page 1 of 1</b>
--	--	----------------------------	------------------------------------