


DATE	REV	ECN	DESCRIPTION
10/21/2016	C		Updated temp & voltage.

PRODUCT SPECIFICATION

Parent Number: FMD013-

Description: 0.5mm2 7/.32mm BC AVSS Single Silver
Band Mark

DIAMETER: 0.065
TOLERANCE ±: 0.002



NOM WALL: 0.012

MINIMUM WALL: 0.011

Stranding: 7/.32mm BC LHL

Style: AVSS per JASO D611; AVSS per Lear UTMS 12507

Insulation: PVC

Print Legend: NO PRINT

Voltage: Per JASO D 611 this product is intended for use at a nominal system voltage of 60 Volts DC (30 V AC rms) or less in surface vehicle electrical systems.

Temperature: 80C

Notes: 1. Maximum Resistance at 20C = 32.7 ohms/km per JASO D 611

This product complies with European Directive 2015/863 -- RoHS 3.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Southwire's standard terms and conditions contained therein, including without limitation Southwire's standard warranty. Southwire disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Southwire Company, LLC. Any information contained herein shall not be disclosed to any party without written consent of Southwire Company, LLC.

Customer Approval:

Customer Part Nbr(s): _____

Approved By: _____ **Date:** _____

Title: _____ **Company Name:** _____



Southwire

Copperfield®

1115 W. North Street
Bremen, IN 46506
Phone: 1-574-546-5115