



High Performance Extreme
Temperature Wire and Cable
Experts

RADIX PART NUMBER:	DBS08P133-F01
DESCRIPTION:	TGGT UNISTRIP 250 08AWG 133NPC 250C 600V UL5256 CSA AWM I A/B FT1 NATURAL
CONDUCTORS:	1
SIZE:	08 AWG
STANDING:	133/0.0113"
CONDUCTOR DIAMETER:	0.163"
CONDUCTOR COMPOSITION:	NICKEL PLATED COPPER 2%
INSULATION MATERIAL:	PTFE TAPE & FIBERGLASS SERVE
TOTAL INSULATION THICKNESS:	0.018"
JACKET:	FIBERGLASS BRAID WITH HIGH TEMPERATURE FINISH
BRAID THICKNESS:	0.006"
FINISHED DIAMETER:	0.211" ± 0.006"
TEMPERATURE RATING:	250°C
VOLTAGE:	600V
AGENCY APPROVALS	UL5256 CSA AWM I A/B FT1

COPYRIGHT

THIS DOCUMENT IS PROTECTED UNDER COPYRIGHT LAW AND IS THE PROPERTY OF RADIX WIRE AND CABLE. DATA CONTAINED HEREIN IS CONFIDENTIAL TO RADIX WIRE AND CABLE AND THIS DOCUMENT AND/OR ANY PART OF THE DATA CONTAINED HEREIN MAY NOT BE COPIED, DUPLICATED OR RELEASED FOR MANUFACTURING OR SALE OF EQUIPMENT OUTSIDE OF RADIX WIRE AND CABLE OR ANY AFFILIATES WITHOUT THE PRIOR WRITTEN AUTHORIZATION OF RADIX WIRE AND CABLE.

ESP 6.1 SPEC SHEET TEMPLATE

REV. -



**30333 Emerald Valley Pkwy
Glenwillow, OH 44139
Phone: (216) 731-9191**

05/29/2019