

### **Account Details**

Account No. 9037125\_USS6\_10\_10

Account IEWC CORP

Address IEWC CORP, 5001 S TOWNE DR, ,

NEW BERLIN, Wisconsin, 53151,

**United States** 

Sales Org. ABB Installation Products USA

Sales Distribution
Currency USD
As on Date 10-29-2024

Catalog No. AL21/050/C90/BL

### **Product Details**



UPC: 786210280011

Details: 90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 21mm, 1/2 Inch NPT Thread, Black

#### **Product Details**

Dotoil	
Detail	১

Catalog No.	AL21/050/C90/BL
Description	FIXED 90D NPT050 IP66/NC21 COND BLK
Std. Package Weight	0.030 LB
Product Family	7RA
Restock Fee	
Customer Reference No.	
Brand Name	ADAPTAFLEX
Minimum Order Qty.	10

786210280011
No
7R
USD
10
United Kingdom

# **General Characteristics**

Category	Electrical fittings
Туре	Conduit Fitting with NPT Threads
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Material	Polyamide/Nylon 6.6
Color	Black
Connection	90 degrees
Cable Entry	1/2 Inch NPT Thread

# **Dimensions and Classifications**

Brand Name	Adaptaflex
Size	NC 21mm

# Compliance and Certifications

RoHS	RoHS3 Compliant
TSCA	TSCA Section 6(h) Compliant
POPs	POPs 28 Compliant

ETIM Classification	
ETIM	EC001176 Screw connection for corrugated plastic hose
Nominal diameter	21 mm
Degree of protection (IP)	IP66
Model	90°-elbow
Construction type	External thread
Type of connection	Snap connection
Thread type	NPT
Thread connection size	Other
Thread length	13 mm

ETIM	EC001176 Screw connection for corrugated plastic hose
Thread length	0.512 inch
Material	Polyamide (PA)
Colour	Black
Approved in combination with protective conduit UR	Υ
Approved in combination with protective conduit DIN EN 61386-23	Υ

Created On: 10/29/2024

by ABB

electrification.us.abb.com