



QC3619

Specification Sheet

Lake Cable Part #: S182C229CT-NUL



Description: Two element composite cable, cabled together with an overall tissue wrap & PVC jacket. Non-UL

- 18 AWG 2 Conductors 16 Strands Tinned Copper PVC
- 22 AWG 9 Conductors 7 Strands Tinned Copper PVC

Element 1: 18 AWG 2 Conductors 16 Strands Tinned Copper PVC

- 1. **Conductor**
 - 1.1. AWG Size & Stranding: 18 AWG 16 Strands Class K
 - 1.2. Material: Annealed Tinned Copper
 - 1.3. Conductor Count: 2 Conductors
- 2. **Insulation**
 - 2.1. Material: Polyvinylchloride
 - 2.2. Wall Thickness: 0.017"
 - 2.3. Color Code: Black & Red

Your signature constitutes that you have read and agreed to this specification sheet and upon confirmation of your order, this item may be non-cancelable and non-returnable.


 Signature

 Quality Connection
 Company

Element 2: 22 AWG 9 Conductors 7 Strands Tinned Copper PVC

- 3. **Conductor**
 - 3.1. AWG Size & Stranding: 22 AWG 7 Strands Class B
 - 3.2. Material: Annealed Tinned Copper
 - 3.3. Conductor Count: 9 Conductors
- 4. **Insulation**
 - 4.1. Material: Polyvinylchloride
 - 4.2. Wall Thickness: 0.010"
 - 4.3. Color Code: White, Green, Brown, Blue, Orange, Yellow, Purple, Gray, and Pink

Overall Assembly

- 5. **Assembly**
 - 5.1. Nominal Lay Length: 3.50" LHL (3.43 tw/ft)
 - 5.2. Fillers: N/A
 - 5.3. Binder: Tissue Wrap Binder - 100% Coverage
- 6. **Jacket**
 - 6.1. Material: Polyvinylchloride
 - 6.2. Wall Thickness: 0.040"
 - 6.3. Diameter: 0.313"
 - 6.4. Color: Black
 - 6.5. Ripcord: N/A
 - 6.6. Temperature Rating: -20°C to 80°C
 - 6.7. Weight: 71 Lbs/Mft
- 7. **Markings**
 - 7.1. Type: N/A
 - 7.2. Legend: N/A
 - 7.3. Footage Markers: N/A



Specification Sheet

Lake Cable Part #: S182C229CT-NUL

8. Standards

- 8.1. All materials used in the manufacture of this cable are RoHS II & REACH compliant
- 8.2. Maximum Operating Voltage: 300V
- 8.3. Made in the USA

ALL SPECIFIED PARAMETERS ARE NOMINAL AND SUBJECT TO VERIFICATION