

# 14/4C Type SOOW Black



PRODUCT DATA SHEET

SOOW portable cord is recommended for use as portable electrical power and portable control wire cable. With its flexibility and resistance to the effects of abrasion, chemicals, weather and ozone, it is excellent for heavy-duty cable service applications. This cable is rated to 600 volts and has a temperature range of -40°C to +90°C. These characteristics makes SOOW portable cord an excellent choice for mitigating outdoors factors that would otherwise alter the performance of wire cable.

**Design Number** 10044  
**Part Number** 32104508  
**Customer Number** N/A

## CONSTRUCTION

**Conductor:** Stranded bare copper, Class K per ASTM B-174

**Conductor Size:** 14AWG(41/30)

**Insulation:** EPDM, oil resistant

**Insulation Avg. Thickness:** 0.045"(Nom.)

**Insulated Conductor O.D:** 0.167"(Nom.)

**Filler:** PP

**Separator:** Paper

**Jacket Material:** CPE, oil resistant

**Jacket Avg. Thickness:** 0.080"(Nom.)


**Jacket Color:** Black

**Overall Diameter:** 0.583"(Nom.)

### Print Legend:

Ascent E486041 14AWG 4C SOOW UL 600V (-40C-90C) CSA LL268042 FT-2

Water Resistant P-07KA140001 MSHA -RoHS xxxxxFT



**Color Code:** Black, White, Red, Green

## ELECTRICAL CHARACTERISTICS

**Operating Temperature (°C):** -40°C to +90°C

**Operating Voltage:** 600V

**Flame Test :** CSA FT2

## SAFETY CHARACTERISTICS

**RoHS Compliance:** European Directive 2015/863/EU

**Approvals:** UL Flexible Cord, Subject 62

CSA Flexible Cord, C22.2 No.49

MSHA Approved

**Application:** Industrial tools, portable lights, battery chargers and equipment that is typically exposed to oils, solvents, flame and grease, also may be used for ground tests and motor leads.

*All trademarks are property of their respective owners. All specifications are subject to change.*

Revision History		
00	2019/07/16	Initial release
Created L. Jian		Approved A. Huang

**Bristol** | Unit 61, Gazelle Rd., Weston Industrial Estate, Weston-super-Mare, North Somerset BS24 9ES UK

**Frankfurt** | Rudolf-Braas-Strasse 2, D-61381 Friedrichsdorf

**Milwaukee** | 5001 South Towne Dr. New Berlin, WI 53151 USA

**Suzhou** | B2-2 Weiting Town Industrial - Workshop A, No. 9 Weixin Rd., Suzhou Industrial Park, Jiangsu, China 215122

