

Specification Sheet

Part Number: 110-80004



EVO 9HT High Tension Mechanical Hand Tool, Tension Range 27 lb to 116 lb, 1/pkg

Article Number 110-80004

Type EVO9HT

Color Red (RD) Black (BK)

Features & Benefits

- Tensions and provides clean, flush cuts for 50lb. to 250lb. cable ties, including wide strap ties.
- Impact-resistant housing and durable components for extended service life.
- Easy-to-adjust tension knob offers 33 different settings for precise, repeatable applications.
- Advanced ergonomic design minimizes necessary hand force and “kickback” to reduce repetitive-motion injuries.

Product Description	HellermannTyton's EVO 9 manual cable tie application tool combines durability, precision and control with unparalleled comfort. Manufactured with high-performance materials and components, the EVO 9 cuts cable ties with up to 250-lb tensile strength. Its innovative, ergonomic design minimizes the stress on hands and wrists and “kickback” that occur with traditional tools, reducing the risk of repetitive-motion injuries. The HT model offers high tension while the SP model features a smaller grip.
Short Description	EVO 9HT High Tension Mechanical Hand Tool, Tension Range 27 lb to 116 lb, 1/pkg
Global Part Name	EVO9HT-MET/PL-BK/RD
Technical Description	Tension Range 27 lb to 116 lb
Length L (Imperial)	7.5
Length L (Metric)	191
Width W (Imperial)	1.3
Width W (Metric)	33
Cable Ties	T120, T150, T250, T255, WS
Height H (Imperial)	5.3
Height H (Metric)	135
Tension Setting Tools	Adjustable
Cable Tie Width Max (Imperial)	0.5

Material Metal (MET) Plastic (PL)

Material Shortcut MET PL

ROHS Complaint Yes

Use Conditions For Indoor Use Only

Package Quantity(Imperial) 1

Package Quantity (Metric) 1

Customs Number 8205599000

Content Unit(BMEcat) pcs.

Weight (Metric) 0.36

Weight (Imperial) 0.8