# **Detailed Specifications & Technical Data**



### 83025 Hook-up/Lead - UL AWM Style 1180

For more Information please call

1-800-Belden1



### General Description:

Stranded silver-coated copper conductor insulation with extruded TFE Teflon.

Physical Characteristics (Overall)					
Conductor					
AWG:					
# Conductors AWG Stranding Conductor Material   1 22 7x30 SPC - Silver Plated Copper					
Total Number of Conductors:	1				
Insulation					
Insulation Material: Insulation Material Wall Thickness (mm)					
TFE - Tetrafluoroethylene 0.381					
Overall Insulation					
Overall Cable					
Overall Nominal Diameter:	1.524 mm				
Applicable Specifications and Agency Compliane Applicable Standards & Environmental Programs	ce (Overall)				
UL Rating:	300 V RMS, 200°C				
-					
EU Directive 2011/65/EU (ROHS II):	Yes				
EU CE Mark:	Yes				
EU Directive 2000/53/EC (ELV):	Yes				
EU Directive 2002/95/EC (RoHS):	Yes				
EU RoHS Compliance Date (mm/dd/yyyy):	04/01/2005				
EU Directive 2002/96/EC (WEEE):	Yes				
EU Directive 2003/11/EC (BFR):	Yes				
CA Prop 65 (CJ for Wire & Cable):	Yes				
MII Order #39 (China RoHS):	Yes				
Military Specification:	NEMA HP3, MIL-W-16878/5				
MIL Spec Rating:	1000 V, 200°C				
Flame Test					
UL Flame Test:	VW-1				
Plenum/Non-Plenum					
Plenum (Y/N):	No				

### Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
83025 001100	100 FT	0.500 LB	BROWN	E	#22 STR TFE BRN
83025 0011000	1,000 FT	5.000 LB	BROWN	ES	#22 STR TFE BRN
83025 002100	100 FT	0.500 LB	RED	E	#22 STR TFE RED
83025 0021000	1,000 FT	5.000 LB	RED	ES	#22 STR TFE RED
83025 003100	100 FT	0.500 LB	ORANGE	E	#22 STR TFE ORG
83025 0031000	1,000 FT	5.000 LB	ORANGE	ES	#22 STR TFE ORG
83025 004100	100 FT	0.500 LB	YELLOW	E	#22 STR TFE YEL
83025 0041000	1,000 FT	5.000 LB	YELLOW	ES	#22 STR TFE YEL
83025 005100	100 FT	0.500 LB	GREEN, DARK	E	#22 STR TFE GRNDK
83025 0051000	1,000 FT	5.000 LB	GREEN, DARK	ES	#22 STR TFE GRNDK
83025 006100	100 FT	0.500 LB	BLUE, LIGHT	E	#22 STR TFE BLULT

## **Detailed Specifications & Technical Data**

#### METRIC MEASUREMENT VERSION



### 83025 Hook-up/Lead - UL AWM Style 1180

83025 0061000	1,000 FT	5.000 LB	BLUE, LIGHT	ES	#22 STR TFE BLULT
83025 0071000	1,000 FT	5.000 LB	VIOLET	ES	#22 STR TFE VIO
83025 009100	100 FT	0.500 LB	WHITE	E	#22 STR TFE WHT
83025 0091000	1,000 FT	5.000 LB	WHITE	ES	#22 STR TFE WHT
83025 010100	100 FT	0.500 LB	BLACK	E	#22 STR TFE BLK
83025 0101000	1,000 FT	5.000 LB	BLACK	ES	#22 STR TFE BLK

Notes:

E = MAY CONTAIN MORE THAN 1 PIECE. MINIMUM LENGTH OF ANY ONE PIECE IS 25

S = STRIPING ADDERS FOR TYPES E AND EE: 123 STRIPES. MINIMUM ORDER10

Revision Number: 2 Revision Date: 07-10-2012

## © 2015 Belden, Inc All Rights Reserved.

All hough Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information and belief at the date of its publication. The information provided in this Product Disclosure, is not the best of Belden's knowledge, information, and belief at the date of its publication. The information and yother operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.