

Aerospace Part#: 1498spc28

CONTROL CABLE

DESCRIPTION

4 Conductors AWG 28/7x36 SPC
Overall Tinned Copper Braid Shield FEP/FEP White

PHYSICAL PROPERTIES

Conductors

Insulation

# Conductors	AWG	Material	Material	Wall	Finished OD
4	28/7x36	Silver Plated Copper	FEP	.006"	.027"

Outer Braid Material

Layer 1 Type	Material	AWG	Coverage
Overall Braid Shield	Tinned Copper	38	85%

Outer Jacket Material

Cabling

Jacket Material	Color	Wall	Overall O.D.	Lay
FEP	White	.010"	.103" Nom.	1.5"- 2" Lay on Cable with Clear Mylar

MECHANICAL PROPERTIES

Operating Temp	Total Weight	Bend Radius
Rated -80C to 200C	10.4 lbs / m	10 X OD

ELECTRICAL PROPERTIES

Max. Operating Voltage
Rated 250 Volts

INDUSTRY APPROVALS AND COMPLIANCE

Standards & Environmental Programs

Reach / RoHS Compliant	YES
Suitability	Direct Burial, Wet Location
Resistance	Oil, Gas, Sunlight, Abrasion, Acid

MISCELLANEOUS

Color Code: Black / Red / White / Green /

Contact Us For More Information

T: 800.395.0200 F: 718.358.2522 E: sales@aerospacewire.com W: www.aerospacewire.com

LOW MINIMUM RUNS QUICK TURNAROUNDS CUSTOM CABLE SOLUTIONS MADE IN USA

* Specification subject to error and may change without notice