

155-23601



**Article Number:** 155-23601

**Stud Mount Lateral Cable Tie, Stud Diameter .2", 50lbs, 6.0" Long, PA66HS, Black, 500/pkg**



Download drawing



Download spec sheet

## Base Data

**Local Order Number** 155-23601

**Type** T50SOSWSP5E

**Color** Black (BK)

**Features and Benefits**

- Special shape provides a .20" lateral adjustment to allow for any misalignment of the stud or incorrect positioning of the tie on the cables.
- Easy to install without the need for a tool.
- Design provides low insertion and high extraction force.

**Product Description** The low profile stud mount allows for several ties to be installed on top of one another. The features can be used to accommodate applications requiring the fastening of a single bundle or multiple bundles on the same stud.

**Fixation Method (FF)** Weld Stud Fixing

**Identification Plate Position** none

**Releasable Closure (Yes/No)** No

**Tie Closure** plastic pawl

**Variant** Outside Serrated

**Short Description** Stud Mount Lateral Cable Tie, Stud Diameter .2", 50lbs, 6.0" Long, PA66HS, Black, 500/pkg

## Product Dimensions

**Minimum Tensile Strength (Imperial)** 50.0 lbs

**Minimum Tensile Strength (Metric)** 200 N

**Length L (Imperial)** 6.0 "

**Length L (Metric)** 163 mm

**Width W (Imperial)** 0.18 "

**Width W (Metric)** 4.6 mm

**Height H (Imperial)** 0.05 "

**Bundle Diameter Min. (Imperial)** 0.04 "

**Bundle Diameter Min. (Metric)** 1.0 mm

**Bundle Diameter Max. (Imperial)** 1.4 "

**Bundle Diameter Max. (Metric)** 35.0 mm

**Thickness T (Imperial)** 0.05 "

**Thickness T (Metric)** 1.35 mm

**Stud Size (Imperial)** 0.2 "

**Stud Size (Metric)** 5.0 mm

## Logistics and Packaging

**Quantity Per** bag  
**Package Quantity (Metric)** 500  
**Carton Quantity** 5000 Pieces  
**Weight (Metric)** 1.6 kg

---

## Material and Specifications

**Material** Polyamide 6.6 heat stabilized (PA66HS)  
**Material Shortcut** PA66HS  
**Flammability** UL94 V2  
**Operating Temperature** -40°F to +221°F (-40°C to +105°C)  
**ROHS compliant (Article 4 - 1)** Yes