

602 Pomeroy Avenue
Meriden CT 06450
Phone (203) 237-2297
Fax (203) 634-8756

TO: INDUSTRIAL ELECTRIC
ATTN: ED WEGNER

SPECIFICATION SHEET

DATE: MARCH 16, 2010

CUSTOMER: INDUSTRIAL ELECTRIC

REFERENCE: 119488

DESCRIPTION: 4/C 16 AWG (26/30) BC, TPE INSULATION,
34 AWG TPC BRAID, TPE JKT.

PRIMARIES:

NUMBER: 4
AWG/STRAND: 16 AWG (26/30) BARE COPPER
INSULATION THICKNESS: .030" NOMINAL WALL TPE
PRIMARY O.D.: .119" (+ / - .003")
COLOR CODE: BLACK, WHITE, RED, GREEN

FILLERS: NON - WICKING FOAMED POLYPROPYLENE

CABLE: (4) PRIMARIES & FILLERS

BRAID: 34 AWG TIN COPPER, 85% MINIMUM COVERAGE

SEPERATOR: MYLAR TAPE

JACKET: .030" NOMINAL WALL BLACK THERMOPLASTIC ELASTOMER

PRINT LEGEND: MFG, MATERIAL, RATED VOLTAGE AND TEMPERATURE

FINAL O.D.: .385" +/- .007"

CABLE WEIGHT: 100 LBS./MFT. NOM

RATING: 300V, -50°C TO 80C STATIONARY, -40°C FLEXING

PREPARED BY: RICH DEHAY

IINAL