




PIDG

TE Internal #: 160834-2

Quick Disconnect Tab & Receptacle, 22 – 16 AWG Wire Size, .3 – 1.5 mm² Wire Size, 592 – 3260 CMA Wire Size, Mating Tab Width 6.35 mm [.25 in], PIDG

[View on TE.com >](#)

Terminals & Splices > Quick Disconnects > PIDG Piggy Back FASTON Terminal



Quick Disconnect Terminal Type: **Tab & Receptacle**

Wire Size: **592 – 3260 CMA**

Mating Tab Width: **6.35 mm [.25 in]**

[All PIDG Piggy Back FASTON Terminal \(2\)](#)

Features

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Configuration Features

Connection Capacity	Single
---------------------	--------

Electrical Characteristics

Voltage Rating	300 V
----------------	-------

Body Features

Insulation Material	Nylon
---------------------	-------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

Other

Barrel Color	Red
EU RoHS Compliance	Compliant



EU ELV Compliance	Compliant
-------------------	-----------

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Dimensions

Product Length	23.54 mm[.927 in]
Compatible Insulation Diameter Range	3.56 mm[.14 in]
Terminal Material Thickness	.41 mm[.016 in]
Wire Size	592 – 3260 CMA

Product Type Features

Insertion Force	Normal
-----------------	--------

Contact Features

Quick Disconnect Terminal Type	Tab & Receptacle
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Piggyback
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	Compression
Barrel Type	Closed

Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



REPRESENTATION ONLY

TE Part # 90035-3
DAHT PIDG FASTON 22-18 ASSY



TE Part # 2392021-1
RED BATTERY DAHT KIT 110V (47689-4)



TE Part # 539691-2
ERGO DIE R.B.Y




TE Part # 2063030-1
SDE DIESET, RBY, UL



TE Part # 169404
CERTI-LOK DIE



TE Part # 169400
CERTI-LOK FRAME W/O DIES



TE Part # 2392021-2
RED BATTERY DAHT KIT 220V (47689-4)



TE Part # 58433-3
PRO CR ASSY, RBY IS9252



TE Part # 58423-1
DIE, RBY IS9252




REPRESENTATION ONLY

TE Part # 47386-4
DAHT PG PIDG 26-16 ASSY

Also in the Series | PIDG




Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)



Hand Crimping Tools(2)




Knife Disconnects(11)



Quick Disconnects(32)



Ring Terminals(588)



Spade Terminals(228)



Special Purpose Terminals(1)




Splices(39)

Customers Also Bought




TE Part #5748907-2
AMP III RCPT 9P RA 590 THD INS /BDLK



TE Part #156666-1
PIDG FASTON FLAG ASSY 16-14



TE Part #3-644465-6
06P MTA156 CONN ASSY 18AWG ORA




TE Part #60124-2
RING CRIMP TAB 26-20 AWG TPBR




TE Part #2-2205131-5
CA MINI IO MINI IO TYPE I



TE Part #5-643816-5
25P MTA100 CONN ASSY POL RIB



TE Part #7-745129-5
SHLDING FERRULE,PLTD,BULK PKG



TE Part #5673904001
DCPT-38/19-45-SP



Documents

Product Drawings

[PIDG PIGGY-B FASTON](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_160834-2_H.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160834-2_H.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160834-2_H.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_160834-2_C1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_160834-2_C1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_160834-2_C1.3d_stp.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[PIDG TERMINALS & SPLICES Quick Reference Guide](#)

English

Agency Approvals

[UL Report](#)

English

