

1. CONDUCTOR:

- 1.1 Size and Material: 18 AWG, 19 strands, nickel-plated copper wire.
- 1.2 O.D.: .044" nom.

2. INSULATION:

- 2.1 Extruded PFA.
- 2.2 Marking on the insulation: as per UL and CSA Standards.
- 2.3 O.D.: .084" nom.
- 2.4 Color: as per order (replace X in the part number and the description by 0-9 color code).

3. PERFORMANCE:

- 3.1 Voltage rating: 600 VAC R.M.S.
- 3.2 Temperature rating: 250°C




4. REFERENCES:

- 4.1 UL Subject 758 (AWM), Style 1727.
- 4.2 CSA Standard C22.2 No.210 (AWM), Class I Group A/B.

CUSTOMER APPROVAL

Sign: _____

Date: _____

Engineering Change Notice No.								 This specification is the property of Harbour Industries Canada Limited and may not be used or copied without the express written permission of Harbour Industries Canada Limited.		Done: <i>Carroll</i>		 1365, boul. Industriel, Farnham, Quebec, Canada, J2N 2X3 Phone: (450) 293-5304 Fax: (450) 293-2421 Web site: www.harbourfd.com					
										Date: April 5, 2013							
										Verified: <i>David</i>							
										Date: April 5, 2013		Description: XPA20N1819/0092-X					
UNCONTROLLED DOCUMENT A later revision of this specification may exist.										 A member of The Marmon Group of companies		Size: A Scale: --- Page: 1 of 1		Code Ident. No: 57104		Specification No.: F01027-X	