1. CONDUCTOR (3):

1.1 Size and Material: 18 19/30 AWG tin-plated copper wire.

1.2 O.D.: .048" nom.

2. INSULATION:

2.1 Extruded FEP.

2.2 O.D.: .068" nom.

2.3 Color code: red, white, white.

3. CABLING:

3.1 The three wires are twisted together.

3.2 O.D.: .146" nom.

4. JACKET:

4.1 Extruded FEP.

4.2 O.D.: .166" nom.

4.3 Color: grey.

5. PERFORMANCE:

5.1 Voltage rating: 600 VAC R.M.S.

5.2 Temperature rating: 200°C

CUSTOMER APPROVAL

Sign: _	 	 	
Date:			

Engineering Change Notice No.						

Engineering Change Notice No.

UNCONTROLLED DOCUMENT

A later revision of this specification may exist.

This specification is the property of Harbour Industries Canada Limited and may not be used or copied without the express written permission of Harbour Industries Canada Limited.

Done:	Privile Garand
Date:	January 6, 2015

Verified:

Date: January 6, 2015

Size: Scale: Page:



1365, boul. Industriel, Farnham, Quebec, Canada, J2N 2X3 Phone: (450) 293-5304 Fax: (450) 293-2421 Web site: www.harbourind.com

Description:

3(XK10Z1819/30)K 2-9-9/8

Rev.