



US North Central  
 5001 S. Towne Drive  
 New Berlin, WI 53151  
 800-344-2323  
 www.IEWC.com

# Specification

Issue Date: 4/22/2013

Issue: 1

## Construction

<b>Description:</b>	4 Cond 18 (16/30) BC PVC/PVC				<b>Diam. (in)</b>	
<b>Component:</b>	4 Conductors					
<b>Conductor:</b>	18 16/30 BC to ASTM B 174-71				0.048"	
<b>Insulation:</b>	0.017" Premium Grade PVC				0.082"	
<b>Color Code:</b>						
	<b>Cond</b>	<b>Color</b>	<b>Cond</b>	<b>Color</b>	<b>Cond</b>	<b>Color</b>
	1	Brown	2	Blue	3	White
					4	Black
<b>Cable Assembly:</b>	4 Conductors Bunched Cabled				0.1984"	
<b>Fillers:</b>	No Fillers				0.1984"	
<b>Drain Wire:</b>	No Drain				0.1984"	
<b>Shield:</b>	No Tapes or Shields				0.1984"	
<b>Jacket:</b>	0.0385"	AWM Soft Jacket Compound GFE8085 Talc at Jacketing			0.2754"	
<b>Jacket Color:</b>	Black				0.2754"	
<b>Print:</b>	E174416 RU AWM-2464 80C 300V VW-1 ---cRU AWM I/II A 80C 300V FT1 W1225 18/4 ***Please confirm if they want "Canfield" included in print				<b>CANFIELD CONNECTOR</b>	
<b>Specifications:</b>						
UL	AWM - 2464	80°C	300 Volt	VW-1		
Canadian cUL	AWM	80°C	300 Volt	FT-1		
<b>Environmental Compliance</b>						
EU Directive 2002/95/EC(RoHS): All materials used in the manufacture of this part are in compliance with EU Directive 2002/95/EU regarding the restriction of use of certain hazardous substances in electrical and electronic equipment.						
REACH Regulation (EC 1907/2006): This product does not contain Substances of Very High Concern (SVHC) listed on the European Union's REACH candidate list in excess of 0.1% mass of the item.						
California Prop 65: The outer surface materials used in the manufacture of this part meet the requirements of California Prop. 65.						

*No CANFIELD CONNECTOR printed on wire!*

**APPROVED**

*MJP 4/25/2013*