

1. CONDUCTOR:

- 1.1 Size and Material: 20 19/0073" AWG nickel-plated copper wire.
- 1.2 O.D.: .035" nom.

2. INSULATION:

- 2.1 Extruded PTFE.
- 2.2 Marking on the insulation: not required as per UL Standard.
- 2.3 O.D.: .083" min./0.089" nom./0.093" max.
- 2.4 Color: as per order (replace X in the part number and the description by 0-9 color code).

3. PERFORMANCE:

- 3.1 Voltage rating: 25 KVDC
- 3.2 Temperature rating: 250°C




4. REFERENCES:

- 4.1 UL Subject 758 (AWM), Style 1911.

CUSTOMER APPROVAL

Sign: _____

Date: _____

Engineering Change Notice No.							 <p style="font-size: small;">This specification is the property of Harbour Industries Canada Limited and may not be used or copied without the express written permission of Harbour Industries Canada Limited.</p>	Done: <i>Pierre Garand</i>		 <p style="font-size: x-small;">1365, boul. Industriel, Farnham, Quebec, Canada, J2N 2X3 Phone: (450) 293-5304 Fax: (450) 293-2421 Web site: www.harbourfd.com</p>			
1574	1749	1989						Date: May 21, 2013					
								Verified: <i>Dan Hla</i>		Description: XE27N2019/0073-X			
								Date: May 21, 2013					
UNCONTROLLED DOCUMENT A later revision of this specification may exist.								 <p style="font-size: x-small;">A member of The Marmon Group of companies</p>	Size: A	Scale: ---	Page: 1 of 1	Code Ident. No: 57104	Specification No.: F00235-X