



Product Specification Sheet

1770 Birchwood Avenue
Des Plaines, Illinois, 60018
Ph: 800-966-0069 Fx: 847-795-8770
www.gepco.com

ISOTEC PART/QUOTE NUMBER: X3311507-50
CUSTOMER PART NUMBER:

DESCRIPTION: 20 AWG 2 CONDUCTORS 7/28 BARE COPPER, .008" SMOKEGUARD PVC, OVERALL .015" SMOKEGUARD PVC JACKET GREY CMP C(UL)US OR (UL) CL3P FT-6

CONDUCTOR/PAIR COUNT:	2 CONDUCTORS	JACKET THICKNESS:	.015"
GAUGE & STRANDING:	20 AWG 7/28 BC	JACKET COLOR:	GREY
D.C. RESISTANCE:	10.2 Ω/MFT	JACKET MATERIAL:	SGPVC
PRIMARY INSULATION TYPE:	SGPVC	RIPCORD:	YES
INSULATION THICKNESS:	.008"	NOMINAL O.D.:	.132"
COLOR CODE:	BLUE, RED	VOLTAGE RATING:	300V
SHIELD:	N/A	TEMP. RATING:	60C
TAPE:	N/A	UL TYPE OR STYLE:	CMP OR CL3P
DRAIN WIRE:	N/A	PACKAGING:	TBA
CAP. COND TO COND.:	26 pF/ft	COPPER WEIGHT:	6.61 LBS/MFT
CAP. COND TO SHIELD:	N/A	SHIPPING WEIGHT:	15 LBS/MFT
FOOTAGE MARKERS:	ASCENDING & DESCENDING		
PRINT LEGEND:	ISOTEC® BRAND 20 AWG CMP C(UL)US OR (UL) CL3P FT-6		

NOTES: Shipping Tolerance: +/- 10%
Length Tolerance: +/- 10%
Random/Odd Length Tolerance: May ship up to 15% of order total on random/odd lengths.
All wall thickness and diameter as well as electrical information is nominal.

ACCEPTANCE OF ABOVE DESIGN: _____ **DATE:** _____

General Cable Industries, Inc. makes every effort to provide accurate specifications. Printing errors are subject to correction. Standard product specifications are subject to change without notice. Contact your salesperson for current specifications.

The information set forth in this document is the proprietary, confidential, sole and exclusive intellectual property of General Cable Industries, Inc. and its' related entities, which may not be reproduced, transmitted, copied or shared with any third party without the prior written approval of General Cable Industries, Inc. The information depicted herein are copyright protected by General Cable Industries, Inc.

Material will not be released to production until signed spec is confirmed.

REV. A
vmm-4/4/2013

