

| | This document cont | This document contains proprietary and confidential information of Northwire, Inc. (and its subsidiary) and shall not be used, disclosed or reproduced, in whole or in part, for any purpose without the prior written consent of Northwire, Inc. (and its subsidiary). | | | | | |
|----------------------------------|----------------------|---|---------------|---|----------------|---|--|
| LEMIZ, ANORTHWIRE | Disclaimer: The tech | | | on (ITAR) and the Export Administration Regulations (FAR). Disclosure | | | |
| | of technical data to | Foreign Persons in the course o | | | | on (ITAR) and the Export Administration Regulations (EAR). Disclosure to the ITAR and EAR export licensing requirements/regulations. | |
| DESCRIPTION: 28/4 CABLE 90C 300V | | | CALE: 60:1 | | | | |
| CUSTOMER: IEWC | NWI P/N: FCAB284-0 | | G NO: 54544-1 | | NONE SPECIFIED | | |
| CUSTOMER P/N: TBD | | DRAWN BY: DP LAN | IGER DAT | E: 1/20/2015 | REV: A | | |
| END CUSTOMER PART NO: 200 | | | | 8 | | MECHANICAL REQUIREMENTS JACKET TIGHTNESS TESTING REQUIRED Jacket must have < .010" of pull back when tested per customer "Pull Back" Procedure | |
| INITIAL RELEASE | A 1/20 |)/15 DPL | | | | | |
| REVISION RECORD | REV. REV I | DATE APR | 1 | | | | |
| REVISIONS | | | 1 | | | SHEET 2 OF 2 | |
| | | | | | | | |