


Ultra Flexible Microminiature Multiconductor Cables



Description:

Conductors are ultra flexible, bunched bare copper strands insulated with .005 mil walls of color coded 90°C Polyvinylchloride. Extra flexible braided shields, jackets or both can be applied over the cabled conductors.

Applications:

Phonograph tone arms, miniature relays, biomedical instruments, computers and other specialized applications requiring 200 volt, 90°C ultra flexible microminiature multiconductor cables.

PART NUMBER	NO. OF COND	SINGLE CONDUCTOR DATA				NOM DIA. OVER CABLED COND.	SHIELD		JACKET	
		AWG SIZE	STRAND CONSTR.	NOM. WALL THICK.	NOM. DIA.		CONSTR.	NOM. DIA. OVER SHIELD	WALL THICK.	NOM. O.D.
NMUF 1/30-4046 S	1	30	40/46 Bunch	.005	.022	.022	12-5-44	.031		
NMUF 1/30-4046 SJ	1	30	40/46 Bunch	.005	.022	.022	12-5-44	.031	.010	.051
NMUF 2/30-4046 U	2	30	40/46 Bunch	.005	.022	.044	12-7-44	.053		
NMUF 2/30-4046 S	2	30	40/46 Bunch	.005	.022	.044			.010	.064
NMUF 2/30-4046 J	2	30	40/46 Bunch	.005	.022	.044	12-7-44	.053	.010	.073
NMUF 2/30-4046 SJ	2	30	40/46 Bunch	.005	.022	.044	12-7-44	.053	.010	.073
NMUF 3/30-4046 U	3	30	40/46 Bunch	.005	.022	.047	12-7-44	.056		
NMUF 3/30-4046 S	3	30	40/46 Bunch	.005	.022	.047			.010	.067
NMUF 3/30-4046 J	3	30	40/46 Bunch	.005	.022	.047	12-7-44	.056	.010	.076
NMUF 3/30-4046 SJ	3	30	40/46 Bunch	.005	.022	.047	12-7-44	.056	.010	.076
NMUF 4/30-4046 U	4	30	40/46 Bunch	.005	.022	.053	16-6-44	.062		
NMUF 4/30-4046 S	4	30	40/46 Bunch	.005	.022	.053			.010	.073
NMUF 4/30-4046 J	4	30	40/46 Bunch	.005	.022	.053	16-6-44	.062	.010	.082
NMUF 4/30-4046 SJ	4	30	40/46 Bunch	.005	.022	.053	16-6-44	.062	.010	.082
NMUF 5/30-4046 U	5	30	40/46 Bunch	.005	.022	.059	16-8-44	.068		
NMUF 5/30-4046 S	5	30	40/46 Bunch	.005	.022	.059			.010	.079
NMUF 5/30-4046 J	5	30	40/46 Bunch	.005	.022	.059	16-8-44	.068	.010	.088
NMUF 5/30-4046 SJ	5	30	40/46 Bunch	.005	.022	.059	16-8-44	.068	.010	.088
NMUF 1/32-6550 S	1	32	65/50 Bunch	.005	.020	.020	8-4-44	.029		
NMUF 1/32-6550 SJ	1	32	65/50 Bunch	.005	.020	.020	8-4-44	.029	.010	.049
NMUF 2/32-6550 U	2	32	65/50 Bunch	.005	.020	.040	12-7-44	.049		
NMUF 2/32-6550 S	2	32	65/50 Bunch	.005	.020	.040			.010	.060
NMUF 2/32-6550 J	2	32	65/50 Bunch	.005	.020	.040	12-7-44	.049	.010	.069
NMUF 2/32-6550 SJ	2	32	65/50 Bunch	.005	.020	.040	12-7-44	.049	.010	.069
NMUF 3/32-6550 U	3	32	65/50 Bunch	.005	.020	.043	16-6-44	.052		
NMUF 3/32-6550 S	3	32	65/50 Bunch	.005	.020	.043			.010	.063
NMUF 3/32-6550 J	3	32	65/50 Bunch	.005	.020	.043	16-6-44	.052	.010	.072
NMUF 3/32-6550 SJ	3	32	65/50 Bunch	.005	.020	.043	16-6-44	.052	.010	.072
NMUF 4/32-6550 U	4	32	65/50 Bunch	.005	.020	.048	16-7-44	.057		
NMUF 4/32-6550 S	4	32	65/50 Bunch	.005	.020	.048			.010	.068
NMUF 4/32-6550 J	4	32	65/50 Bunch	.005	.020	.048	16-7-44	.057	.010	.077
NMUF 4/32-6550 SJ	4	32	65/50 Bunch	.005	.020	.048	16-7-44	.057	.010	.077
NMUF 5/32-6550 U	5	32	65/50 Bunch	.005	.020	.054	16-7-44	.063		
NMUF 5/32-6550 S	5	32	65/50 Bunch	.005	.020	.054			.010	.074
NMUF 5/32-6550 J	5	32	65/50 Bunch	.005	.020	.054	16-7-44	.063	.010	.083
NMUF 5/32-6550 SJ	5	32	65/50 Bunch	.005	.020	.054	16-7-44	.063	.010	.083
NMUF 1/34-4050 S	1	34	40/50 Bunch	.005	.018	.018	12-7-44	.027		
NMUF 1/34-4050 SJ	1	34	40/50 Bunch	.005	.018	.018	12-7-44	.027	.010	.047
NMUF 2/34-4050 U	2	34	40/50 Bunch	.005	.018	.036	12-7-44	.045		
NMUF 2/34-4050 S	2	34	40/50 Bunch	.005	.018	.036			.010	.056
NMUF 2/34-4050 J	2	34	40/50 Bunch	.005	.018	.036	12-7-44	.045	.010	.065
NMUF 2/34-4050 SJ	2	34	40/50 Bunch	.005	.018	.036	12-7-44	.045	.010	.065

