



Description: Five 18 AWG Insulated Conductors
 Overall PVC Jacket

Date: 5/13/16

JM Part Number: TBD

Reference: TBD

Components Five 18 AWG Insulated Conductors

Conductor: 18 AWG, 41/34 bare copper
 Insulation: .010" nominal wall of PVC (see color code) .065"

Overall Cable Construction

Cabling: Five 18 AWG conductors twisted together

Separator: Tissue tape

Jacket: .040" nominal wall of pressured extruded Black PVC .260" ± .010"

Print (White Inkjet, 12 Inch Intervals Maximum)

E66440 5/C 18 AWG 9\ AWM STYLE 2517 105C 300V VW-1 ---
 LL41103 CSA AWM I/II A/B 105C 300V FT1 --- ROHS

Color Code

- 1. Red
- 2. Black
- 3. Blue
- 4. Yellow
- 5. White

Requirements

Temperature: -40C° to 105C (Static)
 Voltage: 300V

Approvals: AWM Style 2517
 CSA AWM, FT1
 Material are RoHS Compliant
 (2011/65/EU)

| | | | | |
|-------------|---------|-----------|--------|---------------|
| Written By: | rac/scs | 5/13/2016 | Rev. 0 | Initial Issue |
| Revised By: | | | | |
| Revised By: | | | | |
| Revised By: | | | | |