



NOTES:

1. Imers: Two 12 19/25 BC TXL, $\phi = 0.127 \pm 0.003$ "
Two 20 7/28 BC TXL, $\phi = 0.070 \pm 0.003$ "
Two 22 7/30 BC TXL, $\phi = 0.062 \pm 0.003$ "
2. Color Pattern: Black (12), Pink (20), Yellow (22), Dark Red (12), Dark Green (20), Dark Blue (22)
3. Filler: None
4. Separator: None
5. Jacket: Black PVC, 105°C, Nom. Wall = 0.035", Min. Wall = 0.024", Tube Extrusion, UV Resistant Jacket meets UL 720 hour Sunlight Resistance test. This claim is Southwire's and does not represent UL's opinions or imply approval.
6. Print: INNER CONDUCTORS ARE 125C XLPE AND OUTER JACKET IS 105C PVC - MEETS THE REQUIREMENTS OF THE UL 1581 UV/SUNLIGHT RESISTANCE TEST - EA# ???? - MADE IN USA
7. Product may be convoluted.

This product complies with European Directive 2002/95/EC (RoHS)

Approved By:

Date: 05/18/16

Revisions:

DATE	REV	ECN	CHANGE
4/4/2016	A	E34685	DRAWING-CREATED.



Copperfield®

1115 West North St.

Bremen, IN 46506

By: Rich Tremblay