

DESCRIPTION: 20/2 AWM 20237 105C 300V

UNITS: IN

SCALE: 16:1

ITEM

SPECIFICATIONS

CUSTOMER: IEWC

NWI P/N: T.B.D.

DWG NO: 66812-1

CUSTOMER P/N: T.B.D.

DRAWN BY: DP LANGER



DATE: 2/20/2017

REV: 1

- A. 20 GAUGE 19x.0073TC UNILAY
- B. 9 MIL SEMI-RIGID PVC INSUL PER UL AWM 10002  
7 MIL MIN. SEMI-RIGID PVC INSULATION  
O.D. .059 ±.002
- C. TISSUE PAPER SEPARATOR
- D. 30 MIL PRESSURED TPE JACKET 105C 300V  
24 MIL IN. TPE JACKET BLACK JACKET  
UV RESISTANT JACKET  
UL RECOGNIZED AND CSA CERTIFIED

ROHS COMPLIANT MATERIALS TO EU DIRECTIVE 2011/65/EU

CORE DIMENSIONS FOR INTERNAL USE ONLY



ISOMETRIC VIEW FOR REFERENCE ONLY

LEGEND SPECIFICATIONS WHITE INK PRINT  
RU AWM E54661 105C 300V CSA AWM LL54185 I/II A/B 105C 300V FT1 UV RESISTANT



This document contains proprietary and confidential information of Northwire, Inc. (and its subsidiary) and shall not be used, disclosed or reproduced, in whole or in part, for any purpose without the prior written consent of Northwire, Inc. (and its subsidiary).

Disclaimer: The technical data that is made part of this document may be subject to the International Traffic in Arms Regulation (ITAR) and the Export Administration Regulations (EAR). Disclosure of technical data to Foreign Persons in the course of employment with U.S. contractors is considered an export and is subject to the ITAR and EAR export licensing requirements/regulations.

DESCRIPTION:		UNITS: IN	SCALE: 60:1	ELECTRICAL REQUIREMENTS
CUSTOMER: IEWC	NWI P/N: T.B.D.	DWG NO: 66812-1		NONE SPECIFIED
CUSTOMER P/N: T.B.D.	DRAWN BY: DP LANGER	DATE: 2/20/2017	REV: 1	



MECHANICAL REQUIREMENTS
NONE SPECIFIED

INITIAL RELEASE	1	2/20/17	DPL
REVISION RECORD	REV.	REV DATE	APR
REVISIONS			