		DATE	REV	ECN	DESCRIPTION
<b>PRODUCT SPECIFICATION</b>		8/5/2019	D	18093	Removed Ford references.
<u>I RODUCI SI ECHICATION</u>					
Parent Number: FMK008-					
Description: 1.5mm2 19/.31mm BC Thin Wall FLRYW-A	DIAMETER: (	0.091			$\checkmark$
<u>ISO 6722-1</u>	TOLERANCE ± : Q	0.004			
					Ø /
Stranding: 19/.31mm BC LHL			<b>_</b>		NOM WALL: 0.012
Style: ISO 6722-1; DIN 76722 FLRY 1.5-A T125; FL	RYW-A			;	MOM WALL: 0.009
				1	MINIMUM WALL: 0.009
Insulation: 125C PVC					
<u>Print Legend:</u> NO PRINT					
Voltage: Nominal system voltage of 60 V rms or less in automotive electrical harnesses.					
Temperature: -40C to +125C					
<u>Notes:</u>					
This product complies with European Directive 2015/863 RoHS 3.					
The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order					
subject to Southwire's standard terms and conditions contained therein, including with information contained herein or otherwise.	out limitation Southwire's stand	dard warranty	. Southwire	disclaims all	I liability in connection with the use of
This specification is proprietary intellectual property of Southwire Company, LLC. Any	information contained herein s	hall not be dis	sclosed to		Southwire
any party without written consent of Southwire Company, LLC.				-	⊂ <i>(</i> * 1 1 <sup>®</sup>
<u>Customer Approval:</u>					Copperfield
Customer Part Nbr(s):					5 W. North Street
					men, IN 46506
Title:Compar	y Name:			Pho	ne: 1-574-546-5115