

Article Number: 157-00150



Fir Tree Mount Cable Tie, Offset, 9" Long, 25mm Offset, 6.1 - 7.0 mm Hole, 50lb, PA66HIRHS, Black, 500/bag Description:

Base Data		
	Local Order Number	157-00150
	Туре	T50ROSFT6SO25A
	Color	Black (BK)
	Features and Benefits	<ul> <li>One-piece cable tie and fixing offers a simple and easy to use method of bundling and fixing cables, through the design of the fir tree by ensuring positive and secure fixing into panels with thicknesses from 0.6-6.65mm.</li> <li>The offset on the cable tie creates an alternate solution when an offset fixing option is required and a tape clip cannot be used due to the design which reduces the potential of the bundle flexing or shifting.</li> <li>The 'disc' on the top of the fir tree covers the hole and minimizes the ingress of water and dirt.</li> </ul>
	Quantity Per	bag
	Product Description	HellermannTyton's Off-Set Fir Tree Cable Tie and fixing offers a simple and easy to use method of bundling and fixing cables, the design of the fir tree ensures a positive and secure fixing into panels with thicknesses from .2"26" or threaded blind holes.  The 'disc' on the top of the fir tree covers the hole and minimizes the ingress of water and dirt.
	Short Description	Fir Tree Mount Cable Tie, Offset, 9" Long, 25mm Offset, 6.1 - 7.0 mm Hole, 50lb, PA66HIRHS, Black, 500/bag
Product Dimensions		
	Minimum Tensile Strength (Imperial)	50.0lbs
	Minimum Tensile Strength (Metric)	222.0N
	Length L (Imperial)	9.0"
	Length L (Metric)	230.0mm
	Identification Plate Position	none
	Length L2 (Metric)	25.0mm
	Releasable Closure	No
	Width W (Imperial)	0.201"
	Width W (Metric)	5.1mm
	Height H (Metric)	21.2mm

4/6/2017 generated on:

## 157-00150



Product Dimensions	Bundle Diameter Min. (Metric)	1.6mm
	Bundle Diameter Max. (Imperial)	1.96"
	Bundle Diameter Max. (Metric)	50.0mm
	Disc Diameter (Metric)	19.0mm
	Panel Thickness Max. (Imperial)	0.3"
	Panel Thickness Max. (Metric)	6.65mm
	Panel Thickness Min. (Imperial)	0.02"
	Panel Thickness Min. (Metric)	0.6mm
	Mounting Hole Diameter D (Imperial)	0.2-0.27"
	Mounting Hole Diameter D (Metric)	6.35 mm (hexagonal)
Material and Specifications		
	Material	Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)
	Material Shortcut	PA66HIRHS
	ROHS Compliant	Yes
Logistic and Packaging		
	Package Quantity (Metric)	500
	Customs Number(Schedule B)	3926909987

generated on: 4/6/2017