

157-00145



Article Number: 157-00145

Description: Fir Tree Mount Cable Tie, Offset, 8.5" L, 12.5mm Offset, 6.1-7mm Hole, 50lb, PA66HIRHS, Black, 500/bag

Base Data	Local Order Number	157-00145
	Type	T50ROSFT6SO12.5A
	Color	Black (BK)
	Features and Benefits	<ul style="list-style-type: none"> • Off-Set design allows bundles to sit off of mounting points to avoid friction against surrounding areas. • Fir tree gives 3 to 1 extraction versus insertion force making them strong and easy to install. • Friction tab inside of fir tree allows tie to sit in mount without falling out prior to installation.
	Quantity Per	box
	Product Description	<p>HellermannTyton's Off-Set Fir Tree Cable Tie and fixing offers a simple and easy to use method of bundling and fixing cables, the design of the fir tree ensures a positive and secure fixing into panels with thicknesses from .2" - .26" or threaded blind holes.</p> <p>The 'disc' on the top of the fir tree covers the hole and minimizes the ingress of water and dirt.</p>
	Short Description	Fir Tree Mount Cable Tie, Offset, 8.5" L, 12.5mm Offset, 6.1-7mm Hole, 50lb, PA66HIRHS, Black, 500/bag
	Product Dimensions	
	Minimum Tensile Strength (Imperial)	50.0lbs
	Minimum Tensile Strength (Metric)	222.0N
	Length L (Imperial)	8.5"
	Length L (Metric)	215.5mm
	Identification Plate Position	none
	Length L2 (Metric)	12.5mm
	Releasable Closure	No
	Width W (Imperial)	0.201"
	Width W (Metric)	5.1mm
	Height H (Imperial)	0.9"
	Height H (Metric)	22.1mm
	Bundle Diameter Min. (Imperial)	0.063"

157-00145



Product Dimensions	Bundle Diameter Min. (Metric)	1.6mm
	Bundle Diameter Max. (Imperial)	1.97"
	Bundle Diameter Max. (Metric)	50.0mm
	Disc Diameter (Imperial)	0.59"
	Disc Diameter (Metric)	15.0mm
	Panel Thickness Max. (Imperial)	0.3"
	Panel Thickness Max. (Metric)	6.65mm
	Panel Thickness Min. (Imperial)	0.02"
	Panel Thickness Min. (Metric)	0.6mm
	Mounting Hole Diameter D (Imperial)	0.2-0.27"
	Mounting Hole Diameter D (Metric)	6.35 mm (hexagonal)
	Mounting Hole Diameter D Min. (Imperial)	0.24"
	Mounting Hole Diameter D Max. (Imperial)	0.27"
Material and Specifications		
	Material	Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)
	Material Shortcut	PA66HIRHS
	Material Cable Tie	Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)
	REACH Compliant (Article 33)	Yes
	ROHS Compliant	Yes
Logistic and Packaging		
	Package Quantity (Metric)	500
	Customs Number(Schedule B)	3926909987