

Item Description: 18 AWG Braided Clear PVC/PVC

CONSTRUCTION:

Component 1:

Conductors: 18 AWG 19/30 Tinned Copper
Insulation: Clear PVC
Color Code: Clear

Braid: 36 AWG Ends, 90% Minimum Coverage

Jacket:

Outer Jacket: Clear PVC
Jacket Color: CLEAR

Physical Properties:

Temperature Range: 105°C

Electrical Properties:

Voltage Rating: 300V RMS

SPECIFICATIONS:

AWM Style 1296 - Pending UL Flame test

Compliance:

RoHS: Complies with EU Dir. 2011/65/EU (RoHS-2)

ERF Number	No. Cond.	Gauge AWG/MCM	No. Strands	Nom. Cond.	Insulation Wall, Nom.		Jacket Wall, Nom.		O.D., Nom.		Net Weight	
				DCR Ω/M'	Inches	mm	Inches	mm	Inches	mm	Lb./kft.	kg/km
36374 Line 6	1	18	19/30	6.23	0.030	0.76	0.032	0.81	0.194	4.93	27	40

All dimensions & weights are nominal subject to nominal manufacturing tolerances

This specification is proprietary intellectual property of Southwire. Any information contained herein shall not be disclosed to any party without written consent of Southwire.

Customer Company Name: _____

Date: _____

Customer Approval: _____

Customer Title: _____

Southwire Company, LLC | One Southwire Drive, Carrollton, GA 30119 | www.southwire.com

Copyright © 2016 Southwire Company, LLC. All Rights Reserved



CVDE ERF: 36374 Line 6

DATE: 4/7/2017

Rev:

3