## 1. CONDUCTOR:

- 1.1 Size and Material: 16 19/.0117" AWG nickel-plated copper wire.1.2 O.D.: .056" nom. (1.42 mm)

## 2. INSULATION:

- 2.1 Extruded PTFE.
- 2.2 Wall thickness: .0335" nom. (0.85 mm)
- 2.3 O.D.: .123" nom. (3.12 mm)
- 2.4 Color: as per order (replace X in the part number and the description by 0-9 color code).

## 3. PERFORMANCE:

- 3.1 Voltage rating: 5 KVAC RMS / 20 KVDC3.2 Temperature rating: 260°C

## **CUSTOMER APPROVAL**

Sign:	
Date:	

Engineering Change Notice No.									Done:	Daniel	Curson			
								This specification is the property of	Date:	July 1	1, 2017	1365 boul Industriel Fambour		
						Harbour Industries Canada Limited and may not be used or copied	Verified:			Phone: (450) 293-5304 Fax: (450) 293-2421 Web site: www.harbourind.com				
			without the express written	Carino late D		Description:								
				permission of Harbour Industries Canada Limited.	Date: July 11, 2017			XE33.5N1619/0117-X	i19/0117-X					
A later revision of this specification may exist.					Size:	Scale:	<sup>Page:</sup> 1 of 1	Code Ident. No: 57104	Specification No.: Q04269-X	Rev.				