

156-00306

Article Number: 156-00306

Description: Omega Clip Tie, 50lbs, Clip Dia .16"-.4" Max Bun Dia. 1.38"
PA66HS Tie, HIRHS MNT, BLK 500/pk



Base Data	Local Order Number	156-00306
	Type	T50ROC1B
	Color	Black (BK)
	Features and benefits	Omega Clips secure cables to tubular frame rails. The cable tie is fastened to the tubular frame rail and the solar cable snaps into the clip. The cable can be removed from the clip and reinstalled without additional fasteners.
	Quantity Per	bag
	Global Part Name	T50ROC1B-PA66HS/PA66HIRHS-BK
	Short Description	Omega Clip Tie, 50lbs, Clip Dia .16"-.4" Max Bun Dia. 1.38" PA66HS Tie, HIRHS MNT, BLK 500/pk
	Product Dimensions	Minimum Tensile Strength (Imperial)
Minimum Tensile Strength (Metric)		225N
Length L (Imperial)		7.9"
Length L (Metric)		202mm
Fixation Method		Omega Clips
Identification Plate Position		none
Tie Closure		plastic pawl
Width W (Imperial)		0.181"
Width W (Metric)		4.6mm
Height H (Imperial)		0.05"
Height H (Metric)		1.2mm
Bundle Diameter Min. (Imperial)		0.16"
Bundle Diameter Min. (Metric)		4.0mm
Bundle Diameter Max. (Imperial)		1.8"
Bundle Diameter Max. (Metric)		45.0mm

156-00306

HellermannTyton

Product Dimensions	Thickness T (Imperial)	0.05"
	Thickness T (Metric)	1.2mm
Material and Specifications	Material	Polyamide 6.6 heat stabilized (PA66HS) Polyamide 6.6 high impact modified, heat stabilized, UV resistant (PA66HIRHS)
	Material Shortcut	PA66HIRHS PA66HS
	Material Cable Tie	Polyamide 6.6 heat stabilized (PA66HS)
	Flammability	UL 94 HB
	Operating Temperature	-40°F to +221°F (-40°C to +105°C)
	REACH Compliant (Article 33)	Yes
	ROHS Compliant	Yes
	Logistic and Packaging	Package Quantity (Imperial)
Package Quantity (Metric)		500Pieces
Customs Number(Schedule B)		3926909987
Content Unit (BMEcat)		pieces
Weight (Metric)		2.6kg