

Specification Sheet

Part Number: 151-01527



Flexible Cable Tie Mounting Base, 1.1" x 1.1", 0.21" Max Tie Width, PA66HS, Black, 100/pkg

Article Number

151-01527

Type

FMB4APT-I

Color

Black (BK)

Features & Benefits

- One base fits more surfaces – flat, curved and moderately angled – for versatile applications.
- High-strength, weather-resistant adhesive offers excellent performance indoors and out.
- 4-way opening allows parallel or perpendicular cable routing options.

Quantity Per

bag

Product Description

HellermannTyton FlexTack Adhesive Cable Tie Mounts deliver excellent mounting performance on flat, curved and moderately angled surfaces. Use in combination with 18- through 50-pound cable ties to provide stability when securing bundles. Excellent performance in extreme environmental conditions for a wide range of indoor and outdoor applications; on varnished, powder coated, metal or plastic surfaces; in electrical equipment; and where drilling a hole is not possible or desirable. The 4-way saddle allows cable ties to be inserted parallel or perpendicular to the wire bundles.

Short Description

Flexible Cable Tie Mounting Base, 1.1" x 1.1", 0.21" Max Tie Width, PA66HS, Black, 100/pkg

Global Part Name

FMB4APT-I-PA66HS-BK

Length L (Imperial)

1.1

Length L (Metric)

28.0

Fixation Method

Self-Adhesive

Width W (Imperial)

1.1

Width W (Metric)

28.0

Height H (Imperial)

0.25

Height H (Metric)

6.3

Cable Tie Width Max (Imperial)

0.213

Cable Tie Width Max (Metric)

5.4

Material

Polyamide 6.6 heat stabilized (PA66HS)

Material Shortcut

PA66HS

Adhesive

Acrylate with base of acrylic foam

Flammability

UL 94 V2 (excluding adhesive)

Halogen free

Yes

Adhesive Operating Temperature

-40°F to +194°F (-40°C to +90°C)

Operating Temperature (Metric)

-40°F to +221°F (-40°C to +105°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint

Yes

Package Quantity(Imperial)

100

Package Quantity (Metric)

100

Customs Number

3926909988

Content Unit(BMEcat)

pcs.

Weight (Metric)

0.17964

Weight (Imperial)

0.396

