Item Description: 22/3 STR TC N/S CMR GRAY

CONSTRUCTION:
Component 1:

Conductor: 22 AWG 7/.0096 Tinned Copper

Insulation: PVC Nom Wall: 0.010

Color Code: Black Brown Red

Assembly:

Lay Length: 6.00

Jacket:

Outer Jacket: PVC Nom Wall: 0.032 0.165

Jacket Color: GRAY
Legend Type: InkJet

Print Legend: 22 AWG 3/C E118871 (PLANT ID CODE) C(UL)US CMR/CL3R/FPLR SUN RES -- CMG FT4 MADE IN USA ROHS-2 COMPLIANT -- XX/XX/XX

(MONTH/DAY/YEAR) HH:MM (HOUR/MINUTE)

Physical Properties:

Temperature Range: 75°C

Electrical Properties:

Voltage Rating: 300V RMS

Industry Approvals: Compliance:

UL Standard: 444

ERF	No.	Gauge	No.	Nom. Cond. Insulation Wall, Nom.		Jacket Wall, Nom.		O.D., Nom.		Net Weight		
Number		AWG/MCM	Strands	DCR Ω/M'	Inches	mm	Inches	mm	Inches	mm	Lb./kft.	kg/km
41048	3	22	7/.0096	18.10	0.010	0.25	0.032	0.81	0.165	4.19	17	26

Note: All dimensions & weights are nominal subject to industry standards and tolerances unless otherwise noted.

Complies with EU Dir. 2011/65/EU (RoHS-2)

The customer will accept all factory lengths and +/- 10 percent of total order requested.

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of products(s) is conditioned upon acceptance of a purchase order subject to Southwire's standard terms and conditions contained therein, including without limitation Southwire's standard warranty. Southwire disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Southwire. Any information contained herein shall not be disclosed to any party without written consent of Southwire.

Southwire Company, LLC | One Southwire Drive, Carrollton, GA 30119 | www.southwire.com

Copyright @ 2016 Southwire Company, LLC. All Rights Reserved



RoHS: Complies with EU Dir. 2011/65/EU (RoHS-2)

Diameter 0.048

Specification Issue Date: 9/28/2018 Rev Level: CVDE ERF: 41048 Designed By: SL