


14 AWG 2 Conductor Power Limited Plenum Cable



1. Construction:

- 1.1. Conductors: 14 AWG Stranded Bare Copper 0.071” Nominal Diameter
- 1.2. Insulation: Polyvinyl Chloride, 0.092” Nominal Diameter
- 1.3. Colors: Black, Red
- 1.4. Cable: Cable 2 Conductors
- 1.5. Ripcord: Ripcord located under Jacket
- 1.6. Jacket: White Polyvinyl Chloride, 0.212” Nominal Diameter

1.7. Jacket Print:

COMTRAN 14 AWG CL3P/FPLP (UL) RoHS
(01-12345) 000002



(01-12345) = Traceability Code
Sequential Footage Markings Every Two Feet

2. Compliance:

- 2.1. UL Subject 13, Power Limited Circuit Cable
- 2.2. UL Subject 1424, Power Limited Fire Alarm Circuit Cable
- 2.3. NFPA 262, Plenum Flame Test (UL 910)
- 2.4. NEC Article 725 and 760
- 2.5. (UL) Listed Types CL3P and FPLP
- 2.6. California State Fire Marshal Approved
- 2.7. RoHS Compliant

3. Electrical Characteristics:

- 3.1. Capacitance C-C: 25 pF/ft Nom @ 1 MHz

TITLE:		DESCRIPTION:			COMTRAN		 COMTRAN <small>Innovative Systems. Engineered Solutions.</small>  <small>A Marmon Wire & Cable/Berkshire Hathaway Company</small>	
DS32208		14AWG 2 Conductor Power Limited Plenum Cable			330A Turner Street South Attleboro, MA 02703 Phone: 508-399-7004 Fax: 508-399-8839			
Rev	Date	Detail	Eng.	App.				
10	12/2018	Change logo and basic corrections	SM	PB				
9	01/05/18	Update to Diameters; current format	PB	WC	ECN 18-003			
8	08/17/07	Revise ODs	2me	RHW				
7	07/21/06	Revise ODs	2me	RHW				
6	05/04/06	Revise Print; add ripcord	2me	RHW				
5	06/03/05	Revised and redrawn	2me	RHW				

Comtran reserves the right to change the information above without prior notification. Comtran assumes no risk, and is not liable for direct or indirect, or consequential damages, resulting from the use of this document