

COPPERFIELD PRODUCT SPECIFICATION


<i>DATE</i>	<i>REV</i>	<i>ECN</i>	<i>DESCRIPTION</i>
10/26/2005	B	10227	UPDATED CU DESCRIPTION

CF Parent Number: **3/008-**

Description: 3/0 19X85/30 BC SGX per J1127 Ink Print

DIAMETER: 0.654

TOLERANCE ± : 0.015



NOMINAL WALL: 0.078

MINIMUM WALL: 0.055

Stranding: 19X85/30 BC Unilay

Style: SGX per SAE J1127

Insulation: XLPE

Print Legend: 3/0 GA SAE J1127 TYPE SGX

Voltage: Per SAE J 1127 this product is intended for use at a nominal system voltage of 60 Volts DC or less in surface vehicle electrical systems.

Temperature: The Temperature Class Rating is 125C. The Temperature Class rating is defined by SAE as " a class designation based on the retention of mechanical properties after 168 hours of aging at 30C above the temperature class rating".

Notes:

This product complies with European Directive 2002/95/EC (RoHS)

Customer Approval:

Customer Part Nbr(s): _____

Approved By: _____ **Date:** _____

Title: _____ **Company Name:** _____

COPPERFIELD, LLC.

*1115 W. North Street
Bremen, IN 46506*

Phone: 574-546-5115

Fax: 574-546-5995

www.copperfieldllc.com



Copperfield