

U.I. Lapp GmbH	PRODUCT INFORMATION	
	EPIC® M-D 1.0 D-Sub stamped contacts-on-reel	05.11.2015

For inserts and modules of the EPIC® rectangular connectors



Info

Gold plated contacts in 2 quality levels
for automated production with crimping machine
2 crimp areas for wire and insulation crimp


Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Product Management	Document: LAPP_PRO122567EN.pdf	1 / 3
--------------------	--------------------------------	-------

Part number	Article description	Contact type	Conductor cross-section (mm ²)	Surface	Stripping length (mm)	Note	Pieces / PU
Contacts							
44429011	EPIC® D-SUB SCBG AU G2 0,08-0,22 (500)	male	0,08 - 0,22	Au (0.8 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429007	EPIC® D-SUB BCBG AU G2 0,08-0,22 (500)	female	0,08 - 0,22	Au (0.8 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429013	EPIC® D-SUB SCBG AU G3 0,08-0,22 (500)	male	0,08 - 0,22	Au (0.1 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429009	EPIC® D-SUB BCBG AU G3 0,08-0,22 (500)	female	0,08 - 0,22	Au (0.1 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429012	EPIC® D-SUB SCBG AU G2 0,22-0,56 (500)	male	0,22 - 0,56	Au (0.8 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429008	EPIC® D-SUB BCBG AU G2 0,22-0,56 (500)	female	0,22 - 0,56	Au (0.8 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429014	EPIC® D-SUB SCBG AU G3 0,22-0,56 (500)	male	0,22 - 0,56	Au (0.1 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1
44429010	EPIC® D-SUB BCBG AU G3 0,22-0,56 (500)	female	0,22 - 0,56	Au (0.1 µm)	2.5 + 0.5	1 reel (PU) = 500 contacts	1

U.I. Lapp GmbH	PRODUCT INFORMATION	
	EPIC® M-D 1.0 D-Sub stamped contacts-on-reel	05.11.2015



Product Management	Document: LAPP_PRO122567EN.pdf	3 / 3
--------------------	--------------------------------	-------