


QUICKPORT® COPPER CONNECTORS





CAT 6A UTP

Atlas-X1™ Cat 6A Component-Rated QuickPort Connector	6AUJK-x*6
eXtreme® Cat 6A Channel-Rated QuickPort Connector	6110G-R*6



CAT 5E UTP

Atlas-X1 Cat 5e Component-Rated QuickPort Connector	5EUJK-x*5
eXtreme Cat 5e Component-Rated QuickPort Connector	5G110-R*5
eXtreme Cat 5e Component-Rated QuickPort Connector, QuickPack (25 pack)	5G110-B*5
eXtreme Cat 5e Component-Rated QuickPort Connector, QuickPack (150 pack)	5G110-J*5
GigaMax Cat 5e Channel-Rated QuickPort Connector	5G108-R*5
GigaMax Cat 5e Channel-Rated QuickPort Connector, QuickPack (25 pack)	5G108-B*5
GigaMax Cat 5e Channel-Rated QuickPort Connector, QuickPack (150 pack)	5G108-J*5



CAT 6 UTP

Atlas-X1 Cat 6 Component-Rated QuickPort Connector	61UJK-x*6
eXtreme Cat 6 Component-Rated QuickPort Connector	61110-R*6
eXtreme Cat 6 Component-Rated QuickPort Connector, QuickPack® (25 pack)	61110-B*6
eXtreme Cat 6 Component-Rated QuickPort Connector, QuickPack (150 pack)	61110-J*6



CAT 5 UTP

Cat 5 QuickPort Connector	41108-R*5
---------------------------	-----------

SHIELDED

Atlas-X1 Cat 6A Shielded QuickPort Connector	6ASJK-x*6
Atlas-X1 Cat 6 Shielded QuickPort Connector	61SJK-x*6
Atlas-X1 Cat 5e Shielded QuickPort Connector	5ESJK-x*5




x = Standard (R), with optional shutter (S)
* = Color: See connector colors at bottom of page

PALM TERMINATION TOOL



Palm Termination Tool for eXtreme and GigaMax Connectors	47615-PTT
--	-----------

UTP AND SHIELDED PATCH CORDS



CAT 6A UTP

Atlas-X1 Cat 6A Component-Rated SlimLine Patch Cord	6AS10-xx°
eXtreme Cat 6A Channel-Rated Standard Patch Cord	6210G-xx*

CAT 6 UTP

Atlas-X1 Cat 6 Component-Rated SlimLine Patch Cord	6D560-xx°
eXtreme Cat 6 UTP Component-Rated SlimLine Patch Cord	6D460-xx†
eXtreme Cat 6 UTP Channel-Rated Standard Patch Cord	62460-xx†

1G APPLICATION GRADE UTP

eXtreme 1G HD6 High-Flex Patch Cord	6H460-xx†
-------------------------------------	-----------

CAT 5E UTP

Atlas-X1 Cat 5e Component-Rated SlimLine Patch Cord	5D560-††^
eXtreme Cat 5e UTP Component-Rated SlimLine Patch Cord	5D460-††^
GigaMax Cat 5e UTP Channel-Rated Standard Patch Cord	5G460-††^

SHIELDED

Atlas-X1 Cat 6A Component-Rated SlimLine Patch Cord	6AS10-xx°
eXtreme Cat 6A Channel-Rated Standard Patch Cord	6210G-xx*
Atlas-X1 Cat 6 Component-Rated Shielded Patch Cord	6S560-xxS
Atlas-X1 Cat 5e Component-Rated Shielded Patch Cord	5S460-xxS

xx = Length: (03), (05), (07), (10), (15), or (20) feet * = Color: White (W), Blue (L), Red (R), Grey (S)
° = Color: White (W), Yellow (Y), Blue (L), Black (E), Red (R), Green (G), Grey (S), Orange (O), Violet (V)
† = Color: White (W), Yellow (Y), Blue (L), Black (E), Red (R), Green (G), Grey (S)
^ = Color: White (W), Yellow (Y), Blue (L), Green (G), Grey (S)
‡ = Length: (03), (05), (07), or (10) feet Cat 6 and 5e shielded cords available in Grey (S) only



FLAT UTP PATCH PANELS



CAT 6A

1RU 24-Port Cat 6A Flat 110-Style Patch Panel	6A586-U24
2RU 48-Port Cat 6A Flat 110-Style Patch Panel	6A586-U48
1RU 24-Port Cat 6A Flat QuickPort Patch Panel^	6910G-U24
2RU 48-Port Cat 6A Flat QuickPort Patch Panel^	6910G-U48

CAT 6

1RU 12-Port Cat 6 Flat 110-Style Patch Panel	69586-U12
1RU 24-Port Cat 6 Flat 110-Style Patch Panel	69586-U24
2RU 48-Port Cat 6 Flat 110-Style Patch Panel	69586-U48
4RU 96-Port Cat 6 Flat 110-Style Patch Panel	69586-U96
1RU 24-Port Cat 6 Flat QuickPort Patch Panel^	69270-U24
2RU 48-Port Cat 6 Flat QuickPort Patch Panel^	69270-U48
1RU 48-Port Cat 6 Flat QuickPort Patch Panel, die cast^	69270-D48

CAT 5E


1RU 12-Port Cat 5e Flat 110-Style Patch Panel	5G596-U12
1RU 24-Port Cat 5e Flat 110-Style Patch Panel	5G596-U24
2RU 48-Port Cat 5e Flat 110-Style Patch Panel	5G596-U48
4RU 96-Port Cat 5e Flat 110-Style Patch Panel	5G596-U96
1RU 24-Port Cat 5e Flat QuickPort Patch Panel^	5G270-U24
2RU 48-Port Cat 5e Flat QuickPort Patch Panel^	5G270-U48
1RU 48-Port Cat 5e Flat QuickPort Patch Panel, die cast^	5G270-D48

EMPTY

1RU 24-Port Flat QuickPort Patch Panel	49255-H24
1RU 48-Port Flat QuickPort Patch Panel, die cast	49255-D48
1RU 48-Port Flat QuickPort Patch Panel	49255-Q48
2RU 48-Port Flat QuickPort Patch Panel	49255-H48
2RU 72-Port Flat QuickPort Patch Panel	49255-D72

^ = Black connectors included: Cat 6A (6110G-RE6), Cat 6 (61110-RE6), Cat 5e (5G110-RE5)

RECESSED UTP 110-STYLE PATCH PANELS




CAT 6	
1RU 24-Port Cat 6 Recessed 110-Style Patch Panel	69586-R24
2RU 48-Port Cat 6 Recessed 110-Style Patch Panel	69586-R48
CAT 5E	
1RU 24-Port Cat 5e Recessed 110-Style Patch Panel	5G596-R24
2RU 48-Port Cat 5e Recessed 110-Style Patch Panel	5G596-R48
EMPTY	
1RU 24-Port Recessed QuickPort® Patch Panel	49255-R24
2RU 48-Port Recessed QuickPort Patch Panel	49255-R48

RECESSED ANGLED UTP PATCH PANELS



CAT 6	
2RU 48-Port Cat 6 Recessed Angled 110-Style Patch Panel	6W587-U48
CAT 5E	
2RU 48-Port Cat 5e Recessed Angled 110-Style Patch Panel	5W597-U48
EMPTY	
1RU 24-Port Recessed Angled QuickPort Patch Panel	4W256-H24
2RU 48-Port Recessed Angled QuickPort Patch Panel	4W256-H48
2RU 72-Port Recessed Angled QuickPort Patch Panel	4W256-D72

ANGLED UTP PATCH PANELS



CAT 6A	
1RU 24-Port Cat 6A Angled 110-Style Patch Panel	6A587-U24
1RU 48-Port Cat 6A Angled 110-Style Patch Panel	6A587-U48
CAT 6	
1RU 24-Port Cat 6 Angled 110-Style Patch Panel	69587-U24
2RU 48-Port Cat 6 Angled 110-Style Patch Panel	69587-U48
CAT 5E	
1RU 24-Port Cat 5e Angled 110-Style Patch Panel	5G597-U24
2RU 48-Port Cat 5e Angled 110-Style Patch Panel	5G597-U48
EMPTY	
1RU 24-Port Angled QuickPort Patch Panel, empty	49256-H24
1RU 48-Port Angled QuickPort Patch Panel, empty	49256-D48
2RU 48-Port Angled QuickPort Patch Panel, empty	49256-H48
2RU 72-Port Angled QuickPort Patch Panel, empty	49256-D72


ATLAS-X1™ SHIELDED PATCH PANELS



EMPTY	
1RU 24-Port Flat Shielded QuickPort Panel, empty	4S255-S24
1RU 48-Port Flat Shielded QuickPort Panel, empty	4S255-D48
2RU 48-Port Flat Shielded QuickPort Panel, empty	4S255-S48
1RU 24-Port Angled Shielded QuickPort Panel, empty	4S256-S24
1RU 48-Port Angled Shielded QuickPort Panel, empty	4S256-D48
2RU 48-Port Angled Shielded QuickPort Panel, empty	4S256-S48


Note: See page 1 for shielded QuickPort connectors

PATCH BLOCKS



CAT 6	
12-Port Cat 6 110-Style Patch Block, with 89D	69586-U89
CAT 5E	
12-Port Cat 5e 110-Style Patch Block, with 89D	5G596-U89
EMPTY	
12-Port QuickPort Patch Block, empty, without 89D	49255-Q89
QuickPort Patch Block Mounting Bracket, 89D	40089-00D

E2XHD SNAP-IN CASSETTE PATCHING SYSTEM




EMPTY PANELS AND CASSETTE	
1RU 48-Port e2XHD Angled High-Density Panel	E2X1A-D48
4RU 192-Port e2XHD Angled High-Density Panel	E2X4A-192
1RU 48-Port e2XHD Flat High-Density Panel	E2X1F-D48
4RU 192-Port e2XHD Flat High-Density Panel	E2X4F-192
6-port e2XHD Cassette, empty	E2XHD-BRK

ACCESSORIES

e2XHD Angled Panel Cover	E2XHD-COV
e2XHD Cassette Blank	E2XHD-BLK
QuickPort Connector Removal Tool	E2XHD-JRT
e2XHD Label Kit (4 pack)*	E2XHD-LBL





* = Label kit occupies one row of panel




VERTIGO® ZERO-U PATCH PANELS



	PANEL ONLY	PANEL W/ 3" CABLE CHANNEL	PANEL W/ 6" CABLE CHANNEL
12-Port Vertigo Zero-U QuickPort Patch Panel, empty	49280-QP0	49280-QP3	49280-QP6
Opt-X® Adapter Plate Vertigo Zero-U Patch Panel (adapter plates sold separately)	49280-AP0	49280-AP3	49280-AP6








110-STYLE WIRING BLOCK KITS

	Cat 6A 110-Style Wiring Block, Wall Mount w/legs and C-4 clips*, 64-Pair	41D6A-1F4
	Cat 6 110-Style Wiring Block, Wall Mount w/ Legs 288-Pair, 72 C-4 Clips	41AB6-3F4
	Cat 6 110-Style Wiring Block, Wall Mount w/ Legs, 96-Pair, 24 C-4 Clips	41AB6-1F4
	Cat 6 110-Style Wiring Block, Wall Mount w/o Legs, 96-Pair, 24 C-4 Clips	41NB6-1F4
	Cat 5e 110-Style Wiring Block, Wall Mount w/ Legs, and Clips Kit	41AB2-†F*

	Cat 5e 110-Style Wiring Block, Wall Mount w/ Legs, and ID	41AW2-†00
	Cat 5e 110-Style Wiring Block, Rack-Mount Kit w/ Clips	41DBR-†F*
	Cat 5e 110-Style Wiring Block, Rack Mount	41DR2-†00

† = Number of Pairs: (1) 100, (3) 300 * = Clip Type: (4) C-4, (5) C-5
‡ = Number of Pairs: (1) 100, (2) 200, (3) 300






IT/AV EXTENDER TRANSMITTERS AND RECEIVERS

	HDBaseT™ Extender, Transmitter and Receiver, 100 m	41910-HTE
	HDBaseT Extender, Transmitter and Receiver, 70 m	41910-HT0
	HDBaseT Extender, Receiver only, 70 m	41910-HTR
	HDBaseT Extender IR Emitter and Receiver Kit	41910-HIR
	HDMI® Extender Transmitter and Receiver, 40 m	41910-H00
	VGA Extender with Audio 100m Single Cat Cable Transmitter and Receiver	41910-V01
	USB 1.1 Extender 50m Single Cat Cable Transmitter and Receiver	41910-U11


IT/AV AUDIO AMPLIFIER

	Mixing Audio Amplifier	41920-A01
	Infrared Remote Control Kit	41920-AIR

IT/AV MULTIMEDIA OUTLET SYSTEM (MOS)












	FACEPLATE	
	Single-Gang	41290-SM‡
	Dual-Gang	41290-DM‡
	Three-Gang, Stainless Steel	41290-TMS
	DECORA®	
	Decora MOS Converter Strap	41649-00*
	SURFACE-MOUNT BOX	
	Surface-Mount Housing, holds one 1-unit high module, plenum rated	4M089-1*M
	Surface-Mount Box*, 3 unit with Fiber Storage (Not compatible with 41295-VP~†, 41292-DE~ or 41292-AE~)	41296-MM*
	1-UNIT HIGH INSERTS	
	HDMI Feedthrough	41290-HD*
	HD-15 Feedthrough	41293-HD*
	HD-15 Screw terminal	41295-HD*
	2-Port QuickPort Adapter	41291-2Q*
	1-Port QuickPort Adapter	41291-1M*
	Blank	41291-1B*
	RCA Feedthrough composite (Y, W, R)	41292-3R*
	RCA Component Feedthrough (R, G, B)	41292-3D*
	RCA Component Video Module, 110-style termination	41292-DE~
	RCA Composite Video Module, 110-style termination	41292-AE~
	VGA PC Module, 110-style termination†	41295-VP•
	VGA Monitor Module, 110-Style termination†	41295-VM•
	1.5-UNIT HIGH INSERTS	
	2-Port QuickPort Adapter, 45° exit	41294-2Q*
	Passthrough Module (1.5-units high)	41297-2P*
	speakON® Connector, 4-pole, screw terminal^	41297-SP4
	XLR Connector, 3-pole, screw terminal^	41297-XL3

IT/AV HDMI® CABLES

	High-Speed HDMI Cable with Ethernet	41900-xxE
	HDMI Cable Lock Kit	41900-LKT

xx = Length in feet: (03), (06), (10), (15)


IT/AV QUICKPORT® CONNECTORS

	3.5mm Stereo screw terminal	40839-S~S
	Nickel-Plated F-Type, 3GHz	41084-F*F
	Gold-Plated F-Type, 3GHz	40831-0B*
	RCA to 110	40735-Rx†
	RCA, feedthrough w/black stripe	40830-B*E
	RCA, feedthrough w/red stripe	40830-B*R
	RCA, feedthrough w/yellow stripe	40830-B*Y
	RCA, feedthrough w/green stripe	40830-B~V
	RCA, feedthrough w/blue stripe	40830-B~L
	Snap-in Blank Module	41084-BB*
	HDMI feedthrough QuickPort	40834-00‡
	USB feedthrough QuickPort	40835-00^

* = Color: Ivory (I), White (W), Lt Almond (T), Grey (G), Black (E), Brown (B)
 † = Color: Ivory (I), White (W), Lt Almond (T), Grey (G), Black (E)
 x = Inner Barrel Color: Orange (O), Red (R), White (W), Yellow (Y), Ivory, White connectors also available with Green (V), or Blue (L) Inner Barrel
 ° = Color: Ivory (I), White (W), Light Almond (T)
 ~ = Color: Ivory (I), White (W)
 ‡ = Color: Ivory (I), White (W), Lt Almond (T), Black (E)
 ^ = Color: Ivory (I), White (W), Grey (G)



‡ = Color: Ivory (I), White (W), Grey (G), Black (E), Light Almond (T), Stainless (S)
 * = Color: Ivory (I), White (W), Grey (G), Black (E), Light Almond (T)
 ° = Color: Ivory (I), White (W) ~ = Color: Ivory (I), White (W), Light Almond (T)
 • = Color: Ivory (I), White (W), Grey (G), Light Almond (T)
 † = Must be Used in PC / Monitor Pairs
 ^ = Must be installed in 1.5-unit high MOS Passthrough Module (41297-2P*)
 For fiber adapters see page 8

QUICKPORT® WALLPLATES, SINGLE-GANG/DUAL-GANG | ACCEPTS QUICKPORT CONNECTORS




SINGLE-GANG

Single-Gang	41080-^+P
Single-Gang Midway	41091-^#N
Single-Gang Stainless Steel	43080-1S^
Single-Gang with Designation Windows	42080-^+S
Single-Gang Stainless Steel with ID Windows	43080-1L^
Single-Gang Angled Stainless Steel with ID Windows	43081-1L#
2-Port Single-Gang QuickPlate® Tempo with ID Windows	42090-2+S
4-Port Single-Gang QuickPlate Tempo with ID Windows	42090-4+S




DUAL-GANG

Dual-Gang Stainless Steel	43080-2S†
Dual-Gang Wallplates with Designation Windows	42080-†+P
Dual-Gang Stainless-Steel Wallplates with ID Windows	43080-2L‡
Dual-Gang Angled Stainless-Steel Wallplates with ID Windows	43081-2Lx



^ = Port Configuration: (1), (2), (3), (4), (6)
 + = Color: Ivory (I), White (W), Grey (G), Black (E), Brown (B), Light Almond (T)
 # = Color: Ivory (I), White (W), Brown (B), Light Almond (T)
 ‡ = Port Configuration: (2), (4)
 † = Port Configuration: (2), (4), (6), (8), (12)
 † = Port Configuration: (1), (2), (3), (4), (6), (8), (12)
 * = Color: Ivory (I), White (W), Grey (G), Black (E), Light Almond (T)
 x = Port Configuration: (4), (8)


QUICKPORT SURFACE-MOUNT BOXES



QuickPort Surface-Mount Boxes	41089-†+P
QuickPort Surface-Mount Box for Shielded Connectors	4S089-x*P

* = Color: Ivory (I), White (W), Grey (G), Black (E)
 x = Port Configuration: (2), (4)
 † = Color: White (W), Ivory (I)
 † = Port Configuration: (1), (2), (4), (6); 12-Port (41089-12*)
 NOTES: 2-Port includes blank for 1 port


SURFACE-MOUNT BACKBOXES



Single-Gang, (Deep - 1.89")	42777-1*A
Single-Gang, (Shallow - 1.45")	42777-1*B
Dual-Gang, (Deep - 1.89")	42777-2*A
Dual-Gang, (Shallow - 1.45")	42777-2*B

* = Color: Ivory (I), White (W), Grey (G), and Black (E)


TELEPHONE AND VIDEO WALL JACKS



	STANDARD	DECORA®	DECORA INSERT	MIDWAY
6P4C	40249-00†	40149-00†	40649-00*	40539-PM*
6P4C + F-Connector	40259-00†	40159-00†	40659-00^	40539-CM*
Dual 6P4C	40244-00†	40144-00†	40644-00†	
F-Connector	80781-00†	40981-0+D	40681-00#	40539-0M*
Dual F-Connectors	80782-00†	40982-0+D	40682-00#	

* = Color: White (W), Ivory (I), Grey (G), Black (E), Brown (B), Light Almond (T)
 † = Color: White (W), Ivory (I), Light Almond (T)
 † = Color: White (W), Ivory (I), Brown (B), Light Almond (T)
 # = Color: White (W), Ivory (I), Grey (G), Brown (B), Light Almond (T)
 ^ = Color: White (W), Ivory (I), Black (E), Light Almond (T)
 ~ = Color: White (W), Ivory (I)


DECORA WALLPLATES



Single-Gang	80401-0N*
Dual-Gang	80409-0N*

* = Color: Ivory (I), White (W), Grey (G), Black (E), Brown (B), Light Almond (T)

DECORA MULTIMEDIA INSERTS



Decora Multimedia Inserts (Accepts QuickPort Connectors)	4164†-00*
Brush Insert, Cable Passthrough	41075-DBW

† = Port Configuration: (1), (2), (3), (4), (6)
 * = Color: Ivory (I), White (W), Grey (G), Black (E), Light Almond (T), Brown (B)

RACK-MOUNT POWER DISTRIBUTION UNITS

Horizontal unmetered PDU, single input, 5-15P, (12) 5-20R receptacles, 7ft cord	4515-07S	Vertical unmetered PDU, Single input, 5-15P, (16) 5-15R receptacles, 10ft cord	P1040-10S
Horizontal unmetered PDU, w/ surge protection, single input, 5-20P, (12) 5-20R receptacles, 12ft cord	5500-192	Vertical unmetered PDU, single input, 5-20P, (16) 5-20R receptacles, 10ft cord	P1041-10S
Horizontal unmetered PDU, w/ surge protection, single input, 5-15P, (12) 5-20R receptacles, 12ft cord	5500-190	Vertical unmetered PDU, Single input, 5-20P, (24) 5-20R receptacles, 10ft cord	P1043-10S
Horizontal unmetered PDU, w/ surge protection, single input, 5-15P, (12) 5-15R receptacles, 12ft cord	5505-190	Vertical unmetered PDU, Single input, L5-20P, (24) 5-20R receptacles, 10ft cord	P1044-10L
Horizontal unmetered PDU, single input, 5-20P, (10) 5-20R receptacles, 12ft cord	P1021-12S	Horizontal metered PDU, Single input, C20, (10) 5-20R receptacles, 10ft cord (sold separately)	MH101-1D1
Horizontal unmetered PDU, single input, L5-20P, (10) 5-20R receptacles, 12ft cord	P1022-12L	Vertical Switched PDU, Single input, C20, (16) 5-20R receptacles, 10ft cord (sold separately)	SV161-1D1

VERSI-DUCT® CABLE MANAGEMENT

5" Channel		8" Channel	
	Vertical Front only, 40" length	4940L-VFO	Horizontal Front and Rear, 1RU
	Vertical Front and Rear, 40" length	4940L-VFR	Horizontal Designer Cover, 1RU, Snap-On, Grey
	Vertical Front only, 80" length	4980L-VFO	Horizontal Designer Cover, 2RU, Snap-On, Grey
[A]	Vertical Front and Rear, 80" length	4980L-VFR	[D] Vertical Front only w/ standard hinged black cover, 80" length
	Mounting Brackets, 5" Channel	49265-BKT	Vertical Front and Rear w/ standard hinged black cover, 80" length
	Vertical Designer Cover, 5" Channel, Grey	59265-SDC	Vertical 40" Designer Cover, 8", grey (set of 2)
[B]	Horizontal Front only Duct, 2RU	492RU-HFO	Vertical Center Mounting Bracket, 8" Channel
	Horizontal Front and Rear Duct, 2RU	492RU-HFR	[E] Vertical Cable Retainer, 8"Channel (bag of 6)
[C]	Horizontal Front only Duct, 1RU	491RU-HFO	[F] Vertical Slack Loop Organizer, 8" Channel (2 per package)
			891RU-HFR
			49265-DC1
			49265-DC2
			8980L-VFO
			8980L-VFR
			89265-8DC
			89265-BKT
			89265-WR1
			89265-SL1







CABLE MANAGEMENT

	Rear Cable Management Bar	49005-CMB	Recessed Angled Blank Panel, 2RU	4W254-BA2
[A]	High-Density Cable Management Bar	49005-DMB	Recessed Angled Transitional Cover	4W254-BC1
	Recessed Cable Manager	49253-RCM	[H] Tie Wrap Bar, 1.0" high, 1.5" deep, 19" W	49258-TWB
[B]	Horizontal Patch Cord Organizer, 2RU, 4" Rings	49253-BCM	Vertical Transition Ring (Horizontal Cable Ring)	49262-HR1
	Horizontal Patch Cord Organizer, 1RU, 4" Rings	49253-LPM	3" Vertical Manager Ring	49260-MR3
	Front Hinge Bracket	49400-FHB	6" Vertical Manager Ring	49260-MR6
[C]	One-Position Organizer Panel, 1RU, 19" W	49252-P01	Vertical Manager Tie Bracket	49261-BKT
	Two-Position Organizer Panel, 2RU, 19" W	49252-P02	Rear Cable Manager for Active Equipment, 2RU	41188-SM2
[D]	Combo Front/Rear Manager, 2RU, 19" W	49252-PCM	[I] Hinged Wall-Mount Bracket, 2RU	49251-W62
	Front Blank Panel, 1RU, Standard	49254-BP1	Hinged Wall-Mount Bracket, 3RU	49251-W63
[E]	Front Blank Panel, 2RU, Standard	49254-BP2	Hinged Wall-Mount Bracket, 4RU	49251-W64
[F]	Angled Blank Panel, 1RU	49254-BA1	e2XHD Rear Cable Manager for Angled Panel, with fiber storage rings (four 1/4" rings)	E2XHD-CMB
	Angled Blank Panel, 2RU	49254-BA2	e2XHD Rear Cable Manager for Flat Panel, with fiber storage rings (four 1/4" rings)	E2X1F-CMB
	Angled Transitional Cover	49254-BC1		
[G]	Recessed Angled Blank Panel, 1RU	4W254-BA1		

VELCRO®-BRAND CABLE FASTENERS

	[A] BULK ROLLS			[B] TIE WRAPS (25/PACK)
	Bulk Roll, 75', Black	43115-075		5" Length, Black
	Bulk Roll, 75', Colored	43115-75*		8" Length, Black
	Bulk Roll, 15', Black	43115-015		12" Length, Black
	Bulk Roll, 600', Black	43115-600		
	* = Color: Blue (L), Yellow (Y), Orange (O), Plenum Rated Maroon (P)			SOFTCINCH LITE
				SoftCinch Lite, 75', Black
				4S115-75E

HDX PLATFORM | FIBER OPTIC ENCLOSURES, ADAPTER PLATES, CASSETTES, AND ACCESSORIES



OPT-X® HDX ENCLOSURES - 144 FIBERS PER RU (LC), 1,728 (MTP)

1RU, empty, accepts 12 plates or cassettes	5R1UD-S12
[A] 2RU, empty, accepts 24 plates or cassettes	5R2UD-S24
4RU, empty, accepts 48 plates or cassettes	5R4UD-S48

OPT-X 2000i HDX ENCLOSURES - 96 FIBERS PER RU (LC)

1RU, empty, sliding tray, accepts 8 plates or cassettes	5R1UH-S08
[B] 2RU, empty, sliding tray, accepts 16 plates or cassettes	5R2UH-S16

OPT-X 1000i HDX ENCLOSURES - 96 FIBERS PER RU (LC)

1RU, empty, sliding tray, accepts 8 plates or cassettes	5R1UM-S08
2RU, empty, sliding tray, accepts 16 plates or cassettes	5R2UM-S16

HDX ADAPTER PLATES

[C] Plate, OM1 and OM2, Quad LC (Beige), 12 fibers, Phosphor Bronze Sleeve	5FUHD-2IL
Plate, OM3 and OM4, Quad LC (Aqua), 12 fibers, Zirconia Ceramic Sleeve	5FUHD-2QL
Plate, OM4+, Quad LC (Violet), 12 fibers, Zirconia Ceramic Sleeve	5FUHD-2PL
Plate, OS2, Quad LC (Blue), 12 fibers, Zirconia Ceramic Sleeve	5FUHD-2LL
Plate, OS2, Quad LC/APC (Blue), 12 fibers, Zirconia Ceramic Sleeve	5FUHD-2VL
[D] Plate, OM1 and OM2, Duplex SC (Beige), 6 fibers, Phosphor Bronze Sleeve	5FUHD-6IC
Plate, OM3 and OM4, Duplex SC (Aqua), 6 fibers, Zirconia Ceramic Sleeve	5FUHD-6QC
Plate, OS2, Duplex SC (Blue), 6 fibers, Zirconia Ceramic Sleeve	5FUHD-6LC

Plate, 3 Duplex MTP Adapters (Black), keyed up to keyed up	5FUHD-6MB
Plate, 3 Duplex MTP Adapters (Black), keyed up to keyed down	5FUHD-6MP
[E] Plate, blank (Black)	5FUHD-BLK

[F] HDX CASSETTE MAKE-TO-ORDER OPTIONS

FIBER TYPE	FIBER COUNT	CONNECTOR TYPE (FRONT)	MTP TYPE (REAR)	POLARITY
• OM2	• 12	• LC	• 12-Fiber	• Method A
• OM3	• 24	• MTP	• 24-Fiber	• Method B (Core)
• OM4	• 48			• Method B (Edge)
• OM4+				• Method C
• OS2				

For ordering Cassettes, go to Leviton.com/Configurator




ACCESSORIES

Universal Opt-X Clamp Kit, Single Cable Grommet (for enclosure mounting)	5RCMP-KIT
Universal Opt-X Clamp Kit, Multiple Cable Grommet (for enclosure mounting)	5RCMP-KT2
Universal Opt-X Clamp Kit, Single and Multiple Cable Grommet (for rack mounting)	5RCMR-KIT
Brush Guard (bag of 2)	5RBSH*UN
Retrofit HD sliding tray, 1RU (for use with 2000i or 1000i standard enclosures)	5R1UR-TRY
Retrofit HD sliding tray, 2RU (for use with 2000i or 1000i standard enclosures)	5R2UR-TRY

* = 1RU (1), 2RU (2)

MTP is a registered trademark of US Conec, Ltd.

E2XHD PLATFORM | FIBER OPTIC PANELS, CASSETTES, ACCESSORIES, AND TOOLS



PATCH PANELS

[A] 1RU High-Density Angled Panel	E2X1A-D48
4RU High-Density Angled Panel	E2X4A-192
1RU High-Density Flat Panel	E2X1F-D48
4RU High-Density Flat Panel	E2X4F-192

ACCESSORIES AND TOOLS

Rear Cable Manager for Angled Panel, with cable management rings	E2XHD-CMB
Rear Cable Manager for Flat Panel, with cable management rings	E2X1F-CMB
Angled Panel Cover	E2XHD-COV
QuickPort® Connector Removal Tool	E2XHD-JRT
Universal Opt-X® Clamp Kit, Single Cable Grommet (mounts to Rear Cable Manager)	5RCMP-KIT
Universal Opt-X Clamp Kit, Multiple Cable Grommet (mounts to Rear Cable Manager)	5RCMP-KT2
Universal Clamp Kit, Single and Multiple Cable Grommet (for rack mounting)	5RCMR-KIT
Label Kit for e2XHD Panels (Qty 4)	E2XHD-LBL

STANDARD CASSETTES


[B] 12-fiber QuickPort LC Cassette, OM3/OM4 - aqua	E2XLC-AQU
12-fiber QuickPort LC Cassette, OS2 - blue	E2XLC-BLU
[C] MTP-MTP Pass-Through Cassette, four key-up/key-down adapters	E2XHD-4MP
MTP-MTP Pass-Through Cassette, four key-up/key-up adapters	E2XHD-4MB
Cassette Blank	E2XHD-BLK

[D] MAKE-TO-ORDER CASSETTES

FIBER TYPE	FIBER COUNT	CONNECTOR TYPE (FRONT)	MTP FIBER COUNT	POLARITY
• OM3	• 8	• LC	• 12 Fiber	• Method A
• OM4 (aqua)	• 12	• 8F MTP (female)	• 24 Fiber	• Method B, Core, black
• OM4+ (violet)	• 24			• Method B, Edge, white
• OS2				• Method C

For ordering Cassettes, go to Leviton.com/Configurator

SDX PLATFORM | FIBER OPTIC ENCLOSURES, ADAPTER PLATES, AND ACCESSORIES



OPT-X® 2000i SDX RACK-MOUNT ENCLOSURES

1RU, empty, sliding tray, accepts 3 adapter plates	5R1UH-S03
[A] 2RU, empty, sliding tray, accepts 6 adapter plates	5R2UH-S06
4RU, empty, sliding tray, accepts 12 adapter plates	5R4UH-S12

OPT-X 1000i SDX RACK-MOUNT ENCLOSURES

1RU, empty, accepts 3 adapter plates	5R1UM-F03
1RU, empty, with sliding tray, accepts 3 adapter plates	5R1UM-S03
2RU, empty, accepts 6 adapter plates	5R2UM-F06
2RU, empty, with sliding tray, accepts 6 adapter plates	5R2UM-S06
3RU, empty, accepts 9 adapter plates	5R3UM-F09
3RU, empty, accepts 12 adapter plates	5R3UM-F12
4RU, empty, accepts 12 adapter plates	5R4UM-F12
4RU, empty, accepts 15 adapter plates	5R4UM-F15

OPT-X 500i SDX RACK-MOUNT ENCLOSURES

1RU, empty, accepts 3 adapter plates	5R1UL-F03
[B] 2RU, empty, accepts 6 adapter plates	5R2UL-F06
3RU, empty, accepts 12 adapter plates	5R3UL-F12
1RU Panel, empty, accepts 3 adapter plates	5R1UE-OPX
3RU Panel, empty, accepts 12 adapter plates	5R3UE-OPX

OPT-X 1000 SDX WALL-MOUNT ENCLOSURES

[C] Small, empty, accepts 2 adapter plates	5W1*0-00N
Medium, empty, accepts 4 adapter plates	5W3*0-00N
Large, empty, accepts 12 adapter plates	5W7*0-00N

MTP is a registered trademark of US Conec, Ltd.

* = Solid metal door (1), split metal door w/lock and key (2), solid metal door w/lock and key (7)

ACCESSORIES

Fiber Cable Management 1/4 Ring Kit (Bag of four 1/4 rings) use with RM enclosures	5R100-14R
Universal Clamp Kit (for enclosure mounting)	5RCMP-xxx
Universal Clamp Kit, Single and Multiple Cable Grommet (for rack mounting)	5RCMR-KIT
Opt-X 1000i Lock and Key	5L000-KAL
Opt-X 1000 Lock and Key (for WM Encl.)	5L000-LOK
Opt-X 500i Patch Cord Management Tray	5R*UL-CMT
Retrofit HD sliding tray, 1RU (for use with 2000i or 1000i SDX enclosures)	5R1UR-TRY
Retrofit HD sliding tray, 2RU (for use with 2000i or 1000i SDX enclosures)	5R2UR-TRY

xxx = Cable Grommet: Single (KIT) Multiple (KT2)

* = 1RU (1), 2RU (2)

SDX MOLDED ADAPTER PLATES W/ZIRCONIA CERAMIC SLEEVE

[D] Plate (beige), 62.5 µm MM (OM1), Duplex LC, 12-fiber	5F100-2IL
Plate (black), 50 µm MM (OM2), Duplex LC, 12-fiber	5F100-2EL
Plate (aqua), 50 µm LOMM (OM3 and OM4) Duplex LC, 12-fiber	5F100-2QL
Plate (violet), 50 µm LOMM (OM4+) Duplex LC, 12-fiber	5F100-2PL
Plate (blue), SM (OS2), Duplex LC, 12-fiber	5F100-2LL
Plate (green), SM (OS2), Duplex LC/APC, 12-fiber	5F100-2VL
Plate (beige), 62.5 µm MM (OM1), Quad LC, 24-fiber	5F100-4IL
Plate (black), 50 µm MM (OM2), Quad LC, 24-fiber	5F100-4EL
Plate (aqua), 50 µm LOMM (OM3 and OM4) Quad LC, 24-fiber	5F100-4QL
Plate (violet), 50 µm LOMM (OM4+) Duplex LC, 24-fiber	5F100-4PL
Plate (blue), SM (OS2), Quad LC, 24-fiber	5F100-4LL
Plates (beige), 62.5 µm MM (OM1), Duplex SC, 6-fiber	5F100-6IC
Plates (black), 50 µm MM (OM2), Duplex SC, 6-fiber	5F100-6EC
Plates (aqua), 50 µm LOMM (OM3 and OM4), Duplex SC, 6-fiber	5F100-6QC
Plates (blue), SM (OS2), Duplex SC, 6-fiber	5F100-6LC
Plates (green), SM (OS2), Duplex SC/APC, 6-fiber	5F100-6VC
[E] Plate (beige), 62.5 µm MM (OM1), Duplex SC, 12-fiber	5F100-2IC
Plate (black), 50 µm MM (OM2), Duplex SC, 12-fiber	5F100-2EC
Plate (aqua), 50 µm LOMM (OM3 and OM4), Duplex SC, 12-fiber	5F100-2QC
Plate (blue), SM (OS2), Duplex SC, 12-fiber	5F100-2LC
Plate (green), SM (OS2), Duplex SC/APC, 12-fiber	5F100-2VC
Plate (black), ST MM/SM, 6-fiber	5F100-6MT
[F] Plate (black), ST MM/SM, 8-fiber	5F100-8MT
Plate (black), Blank	5F100-PLT

SDX METAL ADAPTER PLATES

Plate (black), OM3 and OM4, Duplex LC (aqua), 16-fiber, zirconia ceramic sleeve	5F100-16A
Plate (black), OS2, Duplex LC (blue), 16-fiber, zirconia ceramic sleeve	5F100-16Z
Plate (black), 6 simplex MTP, key up/key down	5F100-6MP
Plate (black), 6 simplex MTP, key up/key up	5F100-6MB
Plate (black), 8 simplex MTP, key up/key down	5F100-8MP
Plate (black), 8 simplex MTP, key up/key up	5F100-8MB
Plate (black), 6-position QuickPort®, Empty	5F100-6QP

FIBER OPTIC CONNECTORS

	FASTCAM® (PRE-POLISHED STYLE)	OM1 62.5µm MM	OM2 50µm MM	OM3/4 50µm LOMM	OS2 SM	ACCESSORIES	
	LC	49991-MLC	49991-SLC	49991-LLC	49991-SLC	LC Duplex Clips for FastCAM Connector, (bag of 6)	49991-CLP
	SC	49991-MSC	49991-S5C	49991-L5C	49991-S5C	LC Duplex Clip for Fast-Cure Connector, beige (bag of 25)	49886-DLM
	SC/APC	—	—	—	49991-ASC	LC Duplex Clip for Fast-Cure Connector, blue (bag of 25)	49886-DLS
	ST	49991-MST	49991-S5T	—	49991-S5T	SC Duplex Clip for Fast-Cure Connector, black (bag of 25)	49886-DSC
	FAST-CURE® (ADHESIVE STYLE)	OM1/OM2 50+62.5µm MM		OM3/4 50µm LOMM	OS2 SM	QuickPort® Fiber Adapters	See Page 3
	LC (w/ 3mm boot)	49990-ML2	—	49990-LL2	49990-SL2		
	LC (w/ .9mm boot)	49990-MDL	—	49990-LDL	49990-SDL		
	SC	49990-MSC	—	49990-L5C	49990-S5C		
	ST	49990-MST	—	—	49990-S5T		

FIBER OPTIC TOOL KITS AND ACCESSORIES

	FastCAM® Tool Kit w/ CT-30A Cleaver	49800-SMK		Fan-Out Kit 24" Length, 6-Fiber	49887-06S
	FastCAM Tool Kit w/ LYNX Cleaver	49800-MSK		Fan-Out Kit 24", Length 12-Fiber	49887-12S
	Light Tool Kit	49800-MTK		Fan-Out Kit 36" Length, 6-Fiber	49887-06L
	Fast-Cure® Tool Kit	49800-FTK		Fan-Out Kit 36" Length, 12-Fiber	49887-12L
	Universal Consumables Kit	49800-CON		4"x 7" Splice Tray, 12 fibers	T47HS-P06
	Fast-Cure Consumables Kit	49800-FCC		4"x 7" Splice Tray w/bumper feet, 12 fibers	5T000-00T
	Fan-Out Consumables Kit	49800-FAN		4"x 11.75" Splice Tray, 12 fibers	T4LHS-P06
	Fast-Cure Adhesive/Accelerator Kit	49800-680		12-Fiber Mini, 3.74" x 5.59" x .39", (Heat Shrink Splice Sleeves Included)	T5PLS-12F
	MTP® Module Cleaning Tool	49886-MCT		24-Fiber H.D., 4.5" x 7.63" x .43" (Heat Shrink Splice Sleeves Included)	T5PLS-24F
	MTP Module Cleaning Tool Refill (male)	49886-MCR		Splice Tray Mounting Hardware Kit	SPLMT-HKT
	LC Connector Cleaning Tool	49886-xxT			

xx = LC (LC), SC (SC), MTP Female (UF), MTP Male (UM)

ECONOMY SERIES FIBER OPTIC PIGTAILS (3 METERS)

OM1		OM2		OM3		OM4		OS2	
LC	62PLC-*03	LC	50PLC-*03	LC	5LPSC-*03	LC	54PLC-*03	LC	UPPLC-†03
SC	62PSC-*03	SC	50PSC-*03	SC	5LPSC-*03	SC	54PSC-*03	SC	UPPSC-†03
ST	62PST-*03	ST	50PST-*03	ST	5LPST-*03			ST	UPPST-†03
								SC/APC	APPSC-†03
								LC/APC	APPLC-†03

* = (M) Individual pigtails, (K) 12-fiber individual color coded pigtails
 † = (S) Individual pigtails, (K) 12-fiber individual color coded pigtails

ECONOMY SERIES FIBER OPTIC DUPLEX PATCH CORDS

LC-LC, OM2*	50DLC-Mxx	LC-LC, OM3*	5LDLC-Mxx	LC-LC, OM4*	54DLC-Mxx	SC-SC, OS2	UPDSC-Sxx	xx = Length: (01), (02), (03), (05), 10 meters *OM2 = 50/125 µm Multimode *OM3 = 50/125 µm Laser-Optimized Multimode *OM4 = 50/125 µm Laser-Optimized Multimode *OS2 = Single-Mode
SC-SC, OM2	50DSC-Mxx	SC-SC, OM3	5LDSC-Mxx	SC-SC, OM4	54DSC-Mxx	LC-SC, OS2	UPDCL-Sxx	
ST-ST, OM2	50DST-Mxx	LC-SC, OM3	5LDCL-Mxx	LC-SC, OM4	54DCL-Mxx	ST-ST, OS2	UPDST-Sxx	
SC-LC, OM2	50DCL-Mxx	LC-SC, OM3	5LDCL-Mxx	LC-LC, OS2*	UPDLC-Sxx	SC-ST, OS2	UPDCT-Sxx	

For ordering Premium Series Patch Cords, go to Leviton.com/Configurator

QUICKPORT® FIBER ADAPTERS

	ST Adapter, MM, phos. bronze	41084-S*F		LC Adapter, MM, phos. bronze	41085-ML*
	ST Adapter, SM, zirc. ceramic	41084-S*Z		LC Adapter, LOMM, zirc. ceramic	41085-LL*
	SC Adapter, MM, phos. bronze	41085-M*C		LC Adapter, SM, zirc. ceramic	41085-SL*
	SC Adapter, SM, zirc. ceramic	41085-S*C		MTP® Adapter, SM/MM	41085-TP*

* = Color: Ivory (I), White (W), Slate (G), Black (E)

* = Color: Ivory (I), White (W), Slate (G), Black (E), Yellow (Y), Red (R), Blue (L), Green (V)

MULTIMEDIA OUTLET SYSTEM (MOS) | FIBER INSERT MODULES

	1 Duplex SC, zirconia ceramic, SM/MM blue, (1 unit high)	41291-2C*		1 Duplex SC, zirconia ceramic, SM/MM blue, 45° exit (2 units high)	41292-2C*
	1 Duplex SC, zirconia ceramic, SM/MM blue, 45° exit (1.5 units high)	41294-2C*		2 Duplex SC, zirconia ceramic, SM/MM blue, 45° exit (3 units high)	41293-4C*

* = Color: Ivory (I), White (W), Grey (G), Black (E)

CUSTOM SYSTEMS AND PRODUCTS



CUSTOMIZE YOUR ORDER!

Customize many Leviton products online using our make-to-order (MTO) program. Most orders ship within two weeks, one of the fastest turn around times in the industry. To configure products, go to Leviton.com/configurator or call 1-800-722-2082.

For a complete collection of all Leviton Network Solutions products, see our Network Infrastructure Solutions Catalog or visit Leviton.com

Copper Patch Cords | Pre-Terminated Trunks
 Harnesses | Fiber Patch Cords / Pigtailes
 Plug-n-Play Cassettes | Cable Management
 e2XHD Patching System | Enclosures
 Power Distribution Units
 HDX Fiber Distribution Frame
 Intact™ Intelligent Management

