



Account Details

Account No.	9037125_USS6_10_10
Account	IEWC CORP
Address	IEWC CORP, 5001 S TOWNE DR, , NEW BERLIN, Wisconsin, 53151, United States
Sales Org.	ABB Installation Products USA
Sales	Distribution
Currency	USD
As on Date	09-09-2024

Catalog No. AL34/100/C90/BLYI

Product Details

UPC: 786210280837



Details: 90 Degree Conduit Fitting with Locknut and Sealing Washer, Fixed External Male Thread, Nominal Conduit Size 34mm, 1 Inch NPT Thread, Polyamide (Nylon) 66, With Locknut and Sealing Washer, Black

Product Details

Details

Catalog No.	AL34/100/C90/BLYI	UPC	786210280837
Description	1NPT A/LOK ELBOW FOR YORK WITH LOCK	GSA Compliance	No
Std. Package Weight	0.090 LB	Discount Schedule	7R
Product Family	7RA	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	
Brand Name	ADAPTAFLEX	Package Qty.	10
Minimum Order Qty.	10	Country of Origin	United Kingdom

General Characteristics

Category	Electrical fittings
Type	Conduit Fitting with NPT Threads
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Material	Polyamide/Nylon 6.6
Color	Black
Connection	90 degrees
Cable Entry	1 Inch NPT Thread

Dimensions and Classifications

Brand Name	Adaptaflex
Size	NC 34mm

Compliance and Certifications

RoHS	RoHS3 Compliant
TSCA	TSCA Section 6(h) Compliant
POPs	POPs 28 Compliant

ETIM Classification

ETIM	EC001176 Screw connection for corrugated plastic hose
Nominal diameter	34 mm
Degree of protection (IP)	IP66
Model	90°-elbow
Construction type	External thread
Type of connection	Snap connection
Thread type	NPT
Thread connection size	Other
Thread length	16 mm

ETIM	EC001176 Screw connection for corrugated plastic hose
Thread length	0.63 inch
Material	Polyamide (PA)
Material sealing	TPE
Colour	Black
Approved in combination with protective conduit UR	Y
Approved in combination with protective conduit DIN EN 61386-23	Y

 by ABB

[electrification.us.abb.com](https://www.electrification.us.abb.com)

Created On: 09/09/2024