



Account Details

Account No. 9037125_USS6_10_10
Account IEWC CORP
Address IEWC CORP, 5001 S TOWNE DR, ,
NEW BERLIN, Wisconsin, 53151,
United States
Sales Org. ABB Installation Products USA
Sales Distribution
Currency USD
As on Date 09-09-2024

Catalog No. F2023

Product Details



UPC: 786210339894

Details: Polypropylene-Insulated Ferrule, Total Length .472 Inches/12.0mm, Pin Length .236 Inches/6mm, Pin Diameter .051 Inches/1.3mm, Base Diameter .11 Inches/2.8mm, Wire Range 18 AWG/.75mm², Color Gray, Copper, Tin Plated

Product Details

Details

Catalog No.	F2023	UPC	786210339894
Description	INS PP FERRULE 18, .75 MM ² , LG .47	GSA Compliance	No
Std. Package Weight	0.001 LB	Discount Schedule	2A
Product Family	2A1	CCC	
Restock Fee		Currency	USD
Customer Reference No.		Notes	
Brand Name	STA-KON	Package Qty.	500
Minimum Order Qty.	500	Country of Origin	Germany

General Characteristics

Category	Electrical terminals
Type	Polypropylene Insulated Ferrule
Special Features	Ferrules ensure reliable electrical connections when terminating conductors in screw clamp terminal blocks.
Material	Copper
Color	Gray

Dimensions and Classifications

Brand Name	Sta-Kon
Standard	UL E489056
Wire Size	18 AWG


Compliance and Certifications

RoHS	RoHS3 Compliant
REACH SVHC	REACH 223 Compliant
TSCA	TSCA Section 6(h) Compliant

ETIM Classification

ETIM	EC000005 Cable end sleeve
Construction type	Standard
Nominal cross section	0.75 mm ²
Insulated	Y
Material insulation	Polypropylene
Colour	Grey
Material	Copper
Surface protection	Tinned
With identification flag	N
Reel packaging	N

ETIM	EC000005 Cable end sleeve
AWG size	18


by ABB
electrification.us.abb.com

Created On: 09/09/2024