

Technical data sheet - Cablefix Vario

Feed-through for all prefabricated cables and wires with connectors

Cable fittings and accessories



Identification	Type	AKLR 1
	Part-No.	606001
Use/Application/Properties		
Application	<ul style="list-style-type: none">• Electrotechnology, pneumatics, hydraulics, robotics, general machine and plant construction	
Properties	<ul style="list-style-type: none">• Feed through and terminal frames from high-quality solid• Aluminium or polyamide GF50• High flexibility in the application• Additional mounting to existing installation easily possible• Even pressure effect on the feed through round material yields good strain relief and sealing• Unused holes in the module can simply sealed with blank plugs• Compact design i.e. space-saving• 2 module sizes with slot and suspension principle• Very good weathering resistance• Resistant to UV radiation, ozone, oils, fuels, acids, bases, solvents and sea water	
Technical data		
Burning behavior	Flame-retardant	
Temperature range	-40 °C to +135 °C	
Material	Frame AKLR from smooth ground aluminium	
Protection class	IP 65	

24.05.2015 – Subject to technical modification

Part-No. 606001

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk

Technical data sheet - Cablefix Vario

Feed-through for all prefabricated cables and wires with connectors

Module type	VG=40x43.5 VK=40x22.9 for cable and wire diameters from 4 mm to 34.5 mm, see ordering information frame sizes, see ordering information
Dimensions (w x h x d)	x 68.0 x 30.0 mm

Construction

Length	108.00 mm
--------	-----------

General

PU	1 piece
Unit VK/VG	4/2
With flat seal and drilling template	Yes
Note	Unit corresponds to the number of required rubber modules type VK or VG

24.05.2015 – Subject to technical modification

Part-No. 606001

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2
www.lutze.com • sales.gb@lutze.co.uk