



Part Number: 6200UE

Security & Sound, #16-2c, BC, Unshielded, CMP

Product Description

Security & Commercial Audio Cable, Plenum-CMP 2-16 AWG stranded bare copper conductors with Flamarrest® insulation, Flamarrest® jacket with ripcord

Product Specifications

Technical Specifications

Suitable Applications:	Intercom/PA Systems, Sound/Audio Systems
-------------------------------	--

Construction and Dimensions

Conductor:

AWG	Stranding	Material	No. of Conductors
16	19x29	BC - Bare Copper	2

Total Number of Conductors:	2
------------------------------------	---

Insulation:

Material	Material Trade Name	Nominal Wall Thickness
LS PVC - Low Smoke Polyvinyl Chloride	Flamarrest®	0.008 in

Color Chart 1:

Number	Color
1	Black
2	Red

Cabling 1:

Lay Length	Lay Direction	Twists
3 in	Left Hand	4 twist/ft

Outersheild 1:

Material
Unshielded

Outerjacket 1:

Material	Material Trade Name	Nominal Diameter	Nominal Wall Thickness	Ripcord
LS PVC - Low Smoke Polyvinyl Chloride	Flamarrest®	0.176 in	0.015 in	Yes

Electrical Characteristics

Conductor DCR:

Nominal Conductor DCR
3.8 Ohm/1000ft

Capacitance:

Nom. Capacitance Conductor to Conductor
36.5 pF/ft

Current:

Element	Max. Recommended Current [A]
10C Temperature Rise	6.25 Amps per conductor @ 25°C ambient

Inductance:

Nominal Inductance
0.145 µH/ft

Voltage:

UL Voltage Rating
300V RMS

Use

Suitability - Indoor:	Yes
Max Recommended Pulling Tension:	60.8 lbs

Safety

CSA Flammability:	FT6
UL Flammability:	NFPA 262

Temperature Range

Operating Temp Range:	0°C To +75°C
-----------------------	--------------

UL Temp Rating:	75°C
-----------------	------

Mechanical Characteristics

Min Bend Radius/Minor Axis:	1.75 in
-----------------------------	---------

Part Number

Non-Plenum Number:	5200UE
--------------------	--------

Standards

CA Prop 65 (CJ for Wire & Cable):	Yes
CEC/C(UL) Specification:	CMP
MII Order #39 (China RoHS):	Yes
NEC Articles:	800
NEC/(UL) Specification:	CMP
EU Directive Compliance:	EU Directive 2003/11/EC (BFR)
EU CE Mark:	Yes

History

Product Variants

Part Number	Color	Put-Up Type	Length
6200UE 0041000	YELLOW	Reel	1000 ft
6200UE 0071000	VIOLET	Reel	1000 ft
6200UE 008U1000	GRAY	UnReel	1000 ft
6200UE 009U1000	WHITE	UnReel	1000 ft
6200UE 009U250	WHITE	UnReel	250 ft
6200UE 009U500	WHITE	UnReel	500 ft
6200UE 0101000	BLACK	Reel	1000 ft
6200UE 010U1000	BLACK	UnReel	1000 ft
6200UE 010U250	BLACK	UnReel	250 ft
6200UE 010U500	BLACK	UnReel	500 ft
6200UE 8771000	NATURAL	Reel	1000 ft
6200UE 877500	NATURAL	Reel	500 ft
6200UE 877U1000	NATURAL	UnReel	1000 ft
6200UE 877U250	NATURAL	UnReel	250 ft

All Rights Reserved

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an 'AS IS' basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information provided in this Product Disclosure, and the identification of materials listed as reportable or restricted within the Product Disclosure, is correct to the best of Belden's knowledge, information, and belief at the date of its publication. The information provided in this Product Disclosure is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. This Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Belden declares this product to be in compliance with EU LVD (Low Voltage Directive 73/23/EEC), as amended by directive 93/68/EEC.