



<b>Identification</b>	Type	OT 4-0801 DC 24 V
	Part-No.	730801
<b>Input</b>		
Input voltage range		17.0 V–30.0 V
Rated current		8.0 mA
Protection device		Reverse diode
Status indication		LED yellow
<b>Load Side</b>		
Switching element		Transistor, N/O contact
Min. switching voltage		DC 10 V
Max. switching voltage		DC 60 V
Min. switching current		DC 10 mA
Max. switching current		DC 1.5 A (Derating)
Inrush current		DC 4 A (0.2 s)
Leakage current		<0.1 mA
Switch-on delay		0.1 ms
Switch-off delay		0.1 ms
Switching frequency		<2 kHz
Clearance/creep. dist. (control/load side)		>5.5 mm
Protection device output		Suppressor diode

26.07.2008 – Subject to technical modification

Part-No. 730801

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
 Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
 www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.


Unit 3, Sandy Hill Park  
 Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
 Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
 www.lutze.com • sales.gb@lutze.co.uk

# Technical data sheet • Interface Technology


## General

Housing material	PPE
IP rating	IP 20
Field installation	rail TS 35 (EN 50022)
Insulation voltage input/output	4.0 kV <sub>eff</sub>
Safe isolation	yes
Min. working temperature	-25 °C
Max. working temperature	60 °C
Min. storage temperature	-40 °C
Max. storage temperature	80 °C
Width	11.5
Height	60.0
Depth	67.0
Weight (kg/piece)	0.032
Approvals	cULus
Termination	Screw terminal: 0.25–2.5 mm <sup>2</sup>
PU	5

## Dimensions



## PIN assignment



26.07.2008 – Subject to technical modification

Part-No. 730801


USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
www.lutze.com • sales.gb@lutze.co.uk

**Derating**



**Accessories**

Accessories	Colour	Article number	Type	Pkg. units
Jumper comb 24pole, 26A	blue	760801	BK 6-0801	5
Tag holder 9×20 mm	white	681315	BZT -0920	100
Labels for laser printer A4 unpunched		681031	LEB-A4	1
Labels for laser printer 9 x 20 mm (Sheet with 270 labels)		681032	LEB-0924	1

26.07.2008 – Subject to technical modification

Part-No. 730801

USA: LUTZE INC.

13330 South Ridge Drive • Charlotte, NC 28273, USA  
 Tel. +1 (704) 504-0222 • Fax +1 (704) 504-0223  
 www.lutze.com • info@lutze.com

United Kingdom: LÜTZE Ltd.

Unit 3, Sandy Hill Park  
 Sandy Way, Amington • GB-Tamworth, Staffs B77 4DU  
 Tel. +44 (0)1827 31333-0 • Fax +44 (0)1827 31333-2  
 www.lutze.com • sales.gb@lutze.co.uk



**Systematic Technology**