

H2,5/21D ZH BL


Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



- supplied loose in poly-bag
- DIN colour code
- other colour code

General ordering data

Version	Wire-end ferrule, Twin wire-end ferrule, 15 mm, 12 mm, blue
Order No.	9037510000
Type	H2,5/21D ZH BL
GTIN (EAN)	4008190493080
Qty.	100 pc(s).
Packaging	loose

Creation date December 20, 2024 7:42:54 PM CET

Catalogue status 07.12.2024 / We reserve the right to make technical changes.

H2,5/21D ZH BL**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Net weight 0.32 g

Technical data

Description of article Twin wire end ferrule, blue Version Twin wire-end ferrule

Wire-end ferrules

Collar height (A) 8 mm Collar width (B) 4.5 mm

Colour code DIN Conductor cross-section 2.5 mm²

Contact surface diameter (D1) 2.8 mm Contact surface length (L2) 12 mm

L1 in mm 21 mm Metal sleeve thickness (S1) 0.15 mm

Plastic collar thickness (S2) 0.4 mm Stripping length 15 mm

Wire connection cross section AWG, max. AWG 14

Classifications

ETIM 6.0 EC000005 ETIM 7.0 EC000005

ETIM 8.0 EC000005 ETIM 9.0 EC000005

ECLASS 9.0 27-40-02-01 ECLASS 9.1 27-40-02-01

ECLASS 10.0 27-40-02-01 ECLASS 11.0 27-40-02-01

ECLASS 12.0 27-40-02-01 ECLASS 13.0 27-40-02-01

ECLASS 14.0 27-40-02-01

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption

REACH SVHC No SVHC above 0.1 wt%

Approvals

Approvals



ROHS Conform

UL File Number Search UL Website

Certificate no. (cULus) E499744

DownloadsEngineering Data [CAD data – STEP](#)User Documentation [Technical information - EN](#)[Technical information - DE](#)Catalogues [Catalogues in PDF-format](#)

Brochures

H2,5/21D ZH BL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawing

