


ADVANCED CABLE TIES PART NUMBER	A IN (mm)	B IN (mm)	C IN (mm)	D IN (mm)	E IN (mm)	ANSI/UL 94 MH FLAMABILITY RATING			
AP(R, L)-IDP1-9-C	1.661 (42.200mm) +/- .004 (.100mm)	.834 (21.200mm) +/- .014 (.350mm)	.197 (5.000mm) +/- .012 (.300mm)	.079 (2.000mm) +/- .012 (.300mm)	.047 (1.200mm) +/- .004 (.100mm)	V-2			
AP(R, L)-IDP2-9-C	2.394 (60.800mm) +/- .029 (.740mm)	.992 (25.200mm) +/- .020 (.520mm)	.209 (5.300mm) +/- .012 (.300mm)	.091 (2.300mm) +/- .010 (.250mm)	.047 (1.200mm) +/- .004 (.100mm)	V-2			
									
ADVANCED CABLE TIES – IDENTIFICATION PLATES									
COLOR DESIGNATIONS: 9 = NATURAL						MATERIAL: NYLON 6/6 POLYAMIDE			
				SHEET 1 OF 1	REV.: A	DRAWING NO.: IDP-A			
A	5/9/14	JA	KT	KT	INITIAL RELEASE	DRAWN BY	DATE	CHECK	SCALE
REV	DATE	BY	CHK	APPROVE	DESCRIPTION	JA	5/9/2014	KT	NONE
CONFIDENTIAL PROPERTY OF ADVANCED CABLE TIES, INC. THIS DRAWING IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF ADVANCED CABLE TIES, INC.									