



ADVANCED CABLE TIES PART NUMBER	BUNDLE DIAMETER		A IN (mm) +/- .030 (.762mm)	B IN (mm) +/- .005 (.127mm)	C IN (mm) +/- .005 (.127mm)	D IN (mm) +/- .020 (.508mm)	E IN (mm) +/- .020 (.508mm)	F IN (mm) +/- .005 (.127mm)	MIN LOOP TENSILE LBS (n)	ANSI/UL 94 MH FLAMABILITY RATING	PLENUM RATING
	MIN IN (mm)	MAX IN (mm)									
AP(R, L)-24-175-9	1.500 (38.1mm)	7.18 (182.3mm)	25.25 (641.350mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-24-175-0	1.500 (38.1mm)	7.18 (182.3mm)	25.25 (641.350mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-33-175-9	1.500 (38.1mm)	9.750 (247.650mm)	33.125 (841.375mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-33-175-0	1.500 (38.1mm)	9.750 (247.650mm)	33.125 (841.375mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-36-175-9	1.500 (38.1mm)	11.000 (279.400mm)	37.250 (946.150mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-36-175-0	1.500 (38.1mm)	11.000 (279.400mm)	37.250 (946.150mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-48-175-9	1.500 (38.1mm)	14.500 (368.300mm)	48.562 (1233.474mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP(R, L)-48-175-0	1.500 (38.1mm)	14.500 (368.300mm)	48.562 (1233.474mm)	.090 (2.286mm)	.340 (8.636mm)	.555 (14.097mm)	.335 (8.509mm)	.550 (13.970mm)	175 (778)	V-2	AH-2
AP (R, L)-22-250-9	.472 (12.000mm)	5.748 (146.000mm)	21.732 (552.000mm)	.077 (1.960mm)	.49 (12.54mm)	.775 (19.700mm)	.390 (9.900mm)	.640 (15.940mm)	250 (1,150)	V-2	N/A
AP (R, L)-22-250-0	.472 (12.000mm)	5.748 (146.000mm)	21.732 (552.000mm)	.077 (1.960mm)	.49 (12.54mm)	.775 (19.700mm)	.390 (9.900mm)	.640 (15.940mm)	250 (1,150)	V-2	N/A



ADVANCED CABLE TIES – EXTRA HEAVY DUTY SERIES
CABLE TIES

COLOR DESIGNATIONS:

0 = UV BLACK 9 = NATURAL

MATERIAL:

NYLON 6/6 POLYAMIDE

SHEET 1 OF 1

REV.: A

DRAWING NO.: 175-A

A	12/22/14	JA	KT	KT	INITIAL RELEASE	DRAWN BY	DATE	CHECK	SCALE
REV	DATE	BY	CHK	APPROVE	DESCRIPTION	JA	12/22/2014	KT	NONE

CONFIDENTIAL PROPERTY OF ADVANCED CABLE TIES, INC.

THIS DRAWING IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF ADVANCED CABLE TIES, INC.