PRODUCT SPECIFICATION

DATE	REV	ECN	DESCRIPTION
10/21/2016	В		Update temperature & voltage.

Parent Number: FMB001-

Description: 0.3Fmm2 15/.18mm BC AVSF Printed "0.3F"


Gold Ink

Stranding: 15/.18mm BC LHL

Style: AVS per JASO D611

DIAMETER: 0.075

TOLERANCE ± : 0.002



NOM WALL: 0.020

MINIMUM WALL: 0.018

Insulation: PVC

Print Legend: (BLOCK) 0.3F (LEGEND TO APPEAR 10 TIMES PER WHEEL EVENLY SPACED)

Voltage: Per JASO D 611 this product is intended for use at a nominal system voltage of 60 Volts DC (30 V AC rms) or less in surface vehicle

electrical systems.

Temperature: 80C

Notes:

This product complies with European Directive 2011/65/EU (RoHS 2)

The information presented here is, to the best of our knowledge, true and accurate. Since conditions of use are beyond Southwire's control all product data presented is for informational purposes only and does not create a binding obligation or liability on Southwire or confer any rights on any customer. The sale of product(s) is conditioned upon acceptance of a purchase order subject to Southwire's standard terms and conditions contained therein, including without limitation Southwire's standard warranty. Southwire disclaims all liability in connection with the use of information contained herein or otherwise.

This specification is proprietary intellectual property of Southwire Company, LLC. Any information contained herein shall not be disclosed to any party without written consent of Southwire Company, LLC.

Customer 2	<u> Approval:</u>

 Southwire*

Copperfield[®]

1115 W. North Street Bremen, IN 46506

Phone: 1-574-546-5115