



ATLAS WIRE LLC.
 9525 RIVER STREET
 SCHILLER PARK, ILLINOIS 60176
 (847) 678-1210
 (847) 678-1281 FAX
 www.atlaswirecorp.com



Atlas Wire, LLC
 Registered to ISO9001 and TS16949
 Schiller Park, IL 60176
 Reference No. 10000854
 Tucson, AZ 85714
 Reference No. 10003647

MATERIAL SPECIFICATION SHEET

#14 19/0141 BC .041" PVC RoHS Compliant AUTOMOTIVE PRIMARY WIRE SAE J1128 – 105c TYPE HDT

CONDUCTOR: #14 19/0141 BC 1-1/2" LAY
 APPROXIMATE NOMINAL O.D. .071"
 APPROXIMATE CIRCULAR MILL AREA 3,777
 WEIGHT PER THOUSAND FEET 11.75#
 BASIC SPECIFICATION ASTM B 174

PVC: TEMPERATURE RATING 105c
 ELONGATION 320% AVERAGE
 SPECIFIC GRAVITY 1.34
 DUROMETER (SHORE) 85 (A)
 TENSILE STRENGTH 2450 PSI
 OXYGEN INDEX 25
 BRITTLE POINT -25c
 SPARK TESTED 10,000 VOLTS
 NOMINAL FINISHED O.D. .153"
 WEIGHT PER THOUSAND FEET 20.43#

info@atlaswirecorp.com