

Part Number: 7987P



# NanoSkew™ 4-24 AWG pairs, CMP

# **Product Description**

NanoSkew™ 24 AWG twisted pairs solid bare copper conductors, FEP insulation, rip cord, Flamarrest® jacket.

# **Technical Specifications**

#### **Product Overview**

Environmental Space:	Indoor - Plenum
Suitable Applications:	UTP Based Video Applications, Not for data transmission requiring TIA/EIA Category qualifications, RGB

## **Physical Characteristics (Overall)**

#### Conductor

AWG	Stranding	Material	No.	of Pairs
24	Solid	BC - Bare Copper	4	
Condu	ictor Count:			8
Total N	Number of Pa	airs:		4
Condu	ıctor Size:			24 AWG

# Insulation

Material
FEP - Fluorinated Ethylene Propylene

#### **Color Chart**

Number	Color
1	White/Blue Stripe & Blue
2	White/Orange Stripe & Orange
3	White/Green Stripe & Green
4	White/Brown Stripe & Brown

## **Outer Shield Material**



# **Outer Jacket Material**

Material	Material Trade Name	Nominal Diameter	Ripcord
LS PVC - Low Smoke Polyvinyl Chloride	Flamarrest®	0.201 in	Yes

# **Electrical Characteristics**

# Conductor DCR



Shielding: Unshielded

#### Impedance

Nominal Characteristic Impedance
100 Ohm

#### Delay

Nominal Velocity of Propagation (VP) [%]	Typical Delay Skew
70 %	0.007 ns/ft

## High Freq

Frequency [MHz]	Max./Min. Input Impedance (unFitted)	Max./Min. Fitted Impedance
1 MHz	100 ± 15	100 ± 15
4 MHz	100 ± 15	100 ± 15
8 MHz	100 ± 15	100 ± 15
10 MHz	100 ± 15	100 ± 15
16 MHz	100 ± 15	100 ± 15
20 MHz	100 ± 15	100 ± 15
25 MHz	100 ± 15	100 ± 15
31.25 MHz	100 ± 15	100 ± 15
62.5 MHz	100 ± 15	100 ± 15
100 MHz	100 ± 15	100 ± 15

# Voltage

UL Voltage Rating 300 V RMS

# **Temperature Range**

Operating Temp Range: -20°C To +75°C

# **Mechanical Characteristics**

Bulk Cable Weight:	21 lbs/1000ft
Max Recommended Pulling Tension:	40 lbs
Min Bend Radius/Minor Axis:	0.2 in

# **Standards**

NEC/(UL) Specification:	CMP	
CEC/C(UL) Specification:	CMP	

# **Applicable Environmental and Other Programs**

EU Directive 2000/53/EC (ELV):	Yes
EU Directive 2003/11/EC (BFR):	Yes
EU Directive 2011/65/EU (ROHS II):	Yes
EU Directive 2012/19/EU (WEEE):	Yes
EU Directive 2015/863/EU:	Yes
EU Directive Compliance:	Yes
EU CE Mark:	Yes
EU RoHS Compliance Date (yyyy-mm-dd):	2005-01-01
CA Prop 65 (CJ for Wire & Cable):	Yes
MII Order #39 (China RoHS):	Yes

## Suitability

Suitability - Indoor: Yes

# Flammability, LS0H, Toxicity Testing

UL Flammability:	NFPA 262
CSA Flammability:	FT6
UL Voltage Rating:	300V RMS

# Plenum/Non-Plenum

Plenum (Y/N): Yes

# **Part Number**

Non-Plenum Number: 7987R

# Variants

Item #	Color
7987P 1NDU1000	MAROON 1ND

© 2018 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.